#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



#### **REGION 5 CENTRAL REGIONAL LABORATORY**

#### 536 SOUTH CLARK STREET

### CHICAGO, ILLINOIS 60605

-		
	ate	

JAN 1 8 2001

Subject:

Review of Region 5 Data for Sheffield Steel

From:

John V. Morris\_, Chemist

Region 5 Central Regional Laboratory

To:

Patrick Kuefler DRF-8J

Attached are the results for Site: Sheffield Steel

CRL Data Set Number: 20000061

for analyses of: Chromium in TCLP Extracts

Results are reported for sample numbers: 2000RC05S01, 2000RC05D01, 2000RC05S02,

2000RC05S03 and 2000RC05S06

#### Results Status:

(	( x )	Acce	ntab.	le for	Use

( ) Data Qualified, but Acceptable for use

( ) Data Unacceptable for Use

Syluid Aryfin JAN 1 8 2001
CRL Pata Management Coordinator and Date Received

Date Transmitted: JAN 1 8 2001

Please have the US EPA project leader fill out the customer survey form on the Region 5 Intranet: http://www.r5intra.epa.gov/crl/qa.html, ( by clicking on this link, or call George Schupp, CRL Sample Coordinator, at 3-1226).

Please sign and date this form below and return it with any comments to:

Sylvia Griffin Data Management Coordinator Region 5 Central Regional Laboratory ML - 10C

Received by and Date

Comments:

Date: 29 December 2000

Analyst: John V. Morris

Sample Batch Number: 20000061

Facility Name: Sheffield Steel

Analyte: Chromium in TCLP Extracts

### Narrative for the Analysis of Chromium in TCLP Extracts of Solids in Batch 20000061

On 24 August 2000, 9 solid samples were received from RCRA for analysis of the 8 RCRA metals. On the basis of that analysis, 5 of these samples were selected for TCLP analysis for chromium. The attached e-mail from Patrick Kuefler documents the limitation of the request to these 5 samples, and to Cr only. The 5 samples are: 2000RC05S01, Station S01; 2000RC05D01, Station D01; 2000RC05S02, Station S02; 2000RC05S03, Station S03; and 2000RC05S06, Station S06. All were a dark, nearly black, with no free liquid, and the consistency of soil. The samples were collected 23 August 2000.

The performance of method 1311 (CRL SOP GC006) began 6 November 2000, and concluded 7 November 2000. Extraction fluid 1 was used for all samples. As the samples contained no free liquid, they were treated as 100% solids. During the pH determination, it was noted that there were particles like iron filings in the samples that adhered to the stirring bars. J.V. Morris performed the extraction.

On 14 November 2000, the extracts and blanks were digested at 5 mL to 50 mL dilution using Method 200.2 on the Hot Block (CRL Method Metals025). Since only chromium was of interest, a special spike was used that would yield  $^{1}/_{10}$  of the action level in the regulation (40 CFR part 261.24, Table 1), before correction for the 10-fold dilution. The spike was 500 µg Cr/L in the digest. The digestion log number was 1239.

On 15 November 2000, after bringing the digests to volume, the digests were analyzed by ICP using CRL SOP METALS003. During this run, all chromium audits were in control. No Cr was detected in the digests above reporting limit. One sample from a previous run was reanalyzed during this run, but that data has been described in the appropriate narrative.

All analytical results files, sample information files and reformat files for chromium by ICP can be found on the R5CRL data server using the following path: h:\r5crl\vol3\metals\jvmorris\20000061\3300dv\

The narrative, QC summary spreadsheets, sample result calculation spreadsheets and the final sample report for chromium by ICP can be found on the R5CRL data server using the following path:

h:\r5crl\vol3\metals\jvmorris\20000061\reports\

## US EPA CRL - Region V ICP Final Report Results TCLP Extracts

	Sample Bat Analysis Da	tch Number: ate:	20000061 15 Nov 00	Study:	Sheffield Steel
Sample ID	Station ID	Analyte	Concentrati	on	Units
2000RC05S01	S01	Cr	0.03	U,D	mg/L
2000RC05D01	D01	Cr	0.03	U,D	mg/L
2000RC05S02	S02	Cr	0.03	U,D	mg/L
2000RC05S03	S03	Cr	0.03	U,D	mg/L
2000RC05S06	S06	Cr	0.03	U,D	mg/L

29Decar

you. Jour

galazo elvindental protection actuer to the team perals

BEDIMENTS BOLLS : REDIMENTS SILLD ME/KE (DRY MI.) I ME/KE (DRY MI.) sampling rate \$123/CC LAR ARPIVAL DATE \$124/CC RUE DATE 10/9/CC ME 1 4 2 2 3 CONTRACTOR TECHCO sample of deprivation i repiments south 1 seviments solin i seviments solin I NEVACE LORY ST. 1. VS/MC (DRV ST.) DU NUMBRE GOLCHO DAIRSET ALMYSEN ZOUCHUI ARUNVSHOFFICON STORE PHIMPITY 6020134 46.1863 Me/Me (DNY MA) 5 4731 JULY ICAP MF 1 4 6 9 3 5-063995106399 5-06346, DIVISION/BUSICA RULL 5-063450 5-0103453 5-063459 2-1163448 5-063455 5-016345 5-0003461 015-502 705 105 Zankas CHI LOS 033 - 1001 50 SCO CO 1287 02/-D24 043 034-

ş.:

## \*CRL Data Review Qualification Codes

QUALIFIER	DESCRIPTION
В	This flag is used when the analyte is found in the associated <u>B</u> lank as well as the sample. It indicates possible blank contamination and warns the user to take appropriate action while assessing the data. See the case narrative for a discussion of common lab contaminants and/or the relative concentration of contamination in the samples and blanks for relevance.
D	This flag is used when the analyte concentration results from a required <u>D</u> ilution of the sample, extract or digestate.
E	This flag is used to identify analyte concentrations <u>E</u> xceeding the upper calibration range of the analytical instrument after dilution of the sample, extract or digestate. <u>The reported value is considered to be estimated</u>
J	This flag is used when the analyte is <u>estimated</u> due to quality control limit(s) being exceeded. This flag accompanies all GC/MS tentatively identified compounds (TICs). This flag also applies to a suspected, unidentified interference. This flag is placed on affected detected results as well as non-detected (i.e., "U" flagged) results. ( <u>J</u> is the flag used in the Superfund CLP SOW and Data Review Functional Guidelines and is used by CRL for consistency.)
М	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL <u>Method Detection Limit (MDL)</u> but below the CRL reporting limit (RL). This flag applies to all values in this concentration range and indicates the quantitated value is <u>estimated</u> due to its presence in this concentration range.
N	This flag applies to GC/MS TeNtatively Identified Compounds (TICs) that have a mass spectral library match.
Q	This flag applies to analyte data that are severely estimated due to quality control and/or <i>Q</i> uantitation problems, but are confirmed to be qualitatively present in the sample. No value is reported with this qualification flag.
R	This flag applies to analyte data that are <u>Rejected</u> and unusable due to severe quality control, quantitation and/or qualitative identification problems. No other qualification flags are reported for this analyte. <u>No value is reported with this qualification flag</u> .
U	This flag in used when the analyte was analyzed but <u>U</u> ndetected in the sample. The CRL RL for the analyte accompanies this flag. As with sample results that are positive, the value is corrected for dry weight, dilution and/or sample weight or volume.

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



## REGION 5 CENTRAL REGIONAL LABORATORY

### 536 SOUTH CLARK STREET

## CHICAGO, ILLINOIS 60605

Date:	NOV 0 2 2000
Subject:	Review of Region 5 Data for Sheffield Steel
From:	Nidia Fuentes , Chemist Mr. Region 5 Central Regional Laboratory
То:	Patrick Kuefler DRE-8J
CRL Data Sofor analyses	the results for Site: Sheffield Steel et Number: 2000 0061 of: VOA - TCLP eported for sample numbers: 2000RC05S06
( ) Data Q ( X ) Data holding time	able for Use ualified, but Acceptable for use Unacceptable for Use since the sample was extracted outside the sample extraction e, the sample had head-space and TCE was not detected at all in the filed sample o data can be reported for -S06 as per the CRL SOP.

Please have the US EPA project leader fill out the customer survey form on the Region 5 Intranet: http://www.r5intra.epa.gov/crl/qa.html<sub>a</sub> ( by clicking on this link, or call George Schupp, CRL Sample Coordinator, at 3-1226).

Please sign and date this form below and return it with any comments to:

Sylvia Griffin Data Management Coordinator Region 5 Central Regional Laboratory ML - 10C

Received by and Date

Comments:

# **CRL Data Review Qualification Codes**

QUALIFIER	DESCRIPTION
В	This flag is used when the analyte is found in the associated <u>B</u> lank as well as the sample. It indicates possible blank contamination and warns the user to take appropriate action while assessing the data. See the case narrative for a discussion of common lab contaminants and/or the relative concentration of contamination in the samples and blanks for relevance.
D	This flag is used when the analyte concentration results from a required $\underline{D}$ ilution of the sample, extract or digestate.
E	This flag is used to identify analyte concentrations <u>Exceeding</u> the upper calibration range of the analytical instrument after dilution of the sample, extract or digestate. <u>The reported value is considered to be estimated</u>
J	This flag is used when the analyte is <u>estimated</u> due to quality control limit(s) being exceeded. This flag accompanies all GC/MS tentatively identified compounds (TICs). This flag also applies to a suspected, unidentified interference. This flag is placed on affected detected results as well as non-detected (i.e., "U" flagged) results. ( <u>J</u> is the flag used in the Superfund CLP SOW and Data Review Functional Guidelines and is used by CRL for consistency.)
M	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL <u>Method Detection Limit (MDL)</u> but below the CRL reporting limit (RL). This flag applies to all values in this concentration range and indicates the quantitated value is <u>estimated</u> due to its presence in this concentration range.
N	This flag applies to GC/MS TeNtatively Identified Compounds (TICs) that have a mass spectral library match.
Q	This flag applies to analyte data that are severely estimated due to quality control and/or Quantitation problems, but are confirmed to be qualitatively present in the sample. No value is reported with this qualification flag.
R	This flag applies to analyte data that are <u>Rejected</u> and unusable due to severe quality control, quantitation and/or qualitative identification problems. No other qualification flags are reported for this analyte. <u>No value is reported with this qualification flag.</u>
U	This flag in used when the analyte was analyzed but <u>U</u> ndetected in the sample. The CRL RL for the analyte accompanies this flag. As with sample results that are positive, the value is corrected for dry weight, dilution and/or sample weight or volume.  4/11/0

2000 161

ADDITIONAL PLATURET 10/20/2 NO 901020 DISTAMBUTOD 11/11/2002 ELVINITION LITE, PHOLECTION AGENCY ... FOW THE THAIR SUBSTANCES

10211	unda	www. ex	න දාකු <del>කා</del> කු :	900) surfr 620	3 <del>44</del> 4 <b>44</b> 4	<b>⊆</b> 269 c	≖ක් රාතු පත්	* *** ***	क्यके क्यके	njage desig	and dust	and task	· @=@ - 1	was ques	- COST - COST	දි මාස්ථා ලැබ	9 Walk (www.	سر جون د								•
SAMPLING DATE \$ 123/02 LAB AHRIVAL DATE \$ 24/2000 DUF DATE 1/20/0	CONTRACTOR TECHNO		AT UNCANCE							And the straight of the straig	the of the strong left and selection that the strong confidence and selection that the se		NAMES OF STREET, STREE	Share in the first of the first			UIS COURT LINE COURT AND C									
ANNIAL DATE ST	RURIN	33 108	Color															elicity elicity	Signature of the state of the s	City of the state	The second state of the se	AND AND PROPERTY OF THE PROPER	CFA-veron property of the company of			
	186	ens en	4	<b>====</b>					eo es	-										6 6	, wa		· «»			~ ~
11 11 X 23/10	STUDY SHOP SHOW STUDY PRIUMITY		ed uscarity					nd outstanding and outstanding of the control of the control outstanding outst				all well many construction of the construction	THE STATE OF THE PROPERTY OF T	A STATE OF THE PROPERTY OF THE						to a sea of the state of the st	The street of th		The second of th	or of the control of	The district of the state of th	
) 4	N Zalijule Study		145747 478 479 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5							Secretarion of the state of the			CD-em-ty/1914-pre-universitette-th-quartitette-th-q	dissellere, graph-ordinarie, disseller ditte pate (to me british di			Segment and the segment of the segme		and the state of t	S III S to the control of the contro	Continue and the continue of t	an descriptions of the second	Company organists organists the control of the cont	The state of the s	and the second s	The state of the s
DIVISION/MRANCH	UICH JUNIARE NUMEN ZORUCCE!	*	<i>i</i> i i i i i i i i i i i i i i i i i i	manip train etagi		SUL-506						COLUMN TO THE CO	453 Circuly standing and Analysis and Analys	otherstangemotivate mindilegasysta (Selection otherstand uniqueste selection)			distribution of the billion is a second of the billion is a second of the billion of the billion is a second of the billion is a		All the state of t	Charles de Namen en participa de participa de la companya de la co			ODER THE STREET OF THE STREET		EDITION OF THE PROPERTY OF THE	ANALYS AN
*	C-COLOS ABABA PUI	300		<del>ලක්</del> මෙන <u>නෙ</u> න්	JUN RCOS	30.0							O CHECKETTE CHARGE WITH STREET													

#### CASE NARRATIVE

DATE: October 27, 2000

PROJECT NAME: Sheffield Steel- CRL Case #:20000061

Analysis of Volatile Organic Analytes (TCLP-VOA)

ANALYST: Nidia Fuentes, Chemist 11

REVIEWER: Babu Paruchuri, GC/MS Group Leader

#### I. CASE DESCRIPTION:

On 10/20/00 the laboratory was requested to do ZHE analysis on 2000RC05S06 for trichloroethene (TCE). Initially all site samples were received at the lab in 'encore devices' and analyzed on 08/31/00 for VOA. The current ZHE analysis request is outside the sample analysis holding time. Also, the sample used for the ZHE extraction was already opened to perform ABN/PCB-Pest analysis. It is critical that samples requiring VOA analysis should have no headspace prior to the ZHE extraction. Because TCE was not detected in 2000RC05S06, TCE data were flagged unacceptable for use (R) and therefore no data could be reported. (QC Criteria for soil sample analysis holding time: 14 days from the date of collection.)

#### II. INSTRUMENT QUALITY CONTROLS:

- 1. <u>Instrument Performance Check:</u> On each day of analysis, the GC/MS instrument (HP-MSD#4) performance checks were made to determine whether the instrument met the EPA tuning criteria for p-BFB (QC Criteria: Same as the CWA's criteria). No problems were observed.
- 2. Initial Calibration Check: An acceptable five point initial calibration (IC) curve (QC Criteria for IC: %RSD should be  $\leq$  35%) is required for all target compounds before samples can be analyzed. The lab generated one IC curve on 10/24/00, having one outlier, naphthalene. The parameter of interest is trichloroethene (TCE).

- 3.Continuing Calibration Check: One continuing calibration check (CCC) standard was evaluated to analyze the site samples. The CCC data generated on 10/26/2000 met the CRL QC requirements for trichloroethene (TCE) (QC Criteria for CC: %D should be  $\leq 30\%$ .)
- 4. Internal Standard (IS) Area and Retention Time (RT) Summary: Sample 2000RC05S06 met the CRL QC requirements.

#### III. METHOD QUALITY CONTROL:

- 1. <u>Method Blank Results:</u> On each day of sample analysis, 5-ml of reagent water was spiked with internal standards and surrogates and was analyzed to check the GC/MS and purge and trap systems. On TCLP blank, consisted of fluid #1, was also analyzed. Blank sample data were acceptable.
- 2. <u>Surrogate Spike Compound Results:</u> The surrogate spike compound recovery data were within the CRL's QC limits for all samples except for p-bromofluorobenzene reporting 76% recovery in sample 2000RC05S06 (QC limits for recovery: 79% 109%). No data are qualified when only one surrogate is outside the QC requirement limits, as per the CRL SOP.
- 3. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results: Not applicable.
- 4. <u>Laboratory Control Sample (LCS):</u> Not applicable.
- 5. <u>Performance Evaluation Sample (PES):</u> Not applicable. QC Criteria for the PES: Control Limits are established by EMSL-LV.

#### IV. SAMPLE RESULTS:

The laboratory's data were unacceptable for use since the ZHE analysis request was made outside the sample extraction holding time and also none of the target compounds was detected in 2000RC05S06.

## 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LAB BLANK

Lab Name:	SHEFFI	ELD	- 4000		Contract:	CRL	_		
Lab Code:	5-CRL		Case No.:	20000061	SAS No	o: S	DG No.:	GCMS02	23_
Matrix: (soil/v	vater)	WATER			Lal	o Sample ID:	LAB BL	ANK	
Sample wt/vo	ol:	5.0	(g/ml)	ML	Lal	b File ID:	7C1026	04.D	
Level: (low/n	ned)	LOW			Da	te Received:	08/20/0	0	
% Moisture: ı	not dec.				Da	te Analyzed:	10/26/0	0	
GC Column:	DB-62	4_ ID:	0.53 (n	nm)	Dil	ution Factor:	1.0		
Soil Extract \	/olume:		(uL)		So	il Aliquot Volu	ıme:		(uL

#### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND (ug/L or ug/kg)	<u>UG/L</u>		Q
67-66-3	Chloroform		5	U
107-06-2	1,2-Dichloroethane		5	U
78-93-3	2-Butanone	·	25	U
75-01-4	Vinyl chloride		10	U
127-18-4	Tetrachloroethene		5	U
75-35-4	1,1-Dichloroethene		5	U_
79-01-6	Trichloroethene		5	U
56-23-5	Carbon tetrachloride		5	U_
71-43-2	Benzene		5	U
108-90-7	Chlorobenzene		5	Ų
106-46-7	1,4-Dichlorobenzene		10	U

### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name:	SHEFFI	ELD		Contrac	t: C	RL	LAD DL	AIVI
Lab Code:	5-CRL	Cas	se No.: 20000	061 SAS	No.:		SDG No.: GC	MS023
Matrix: (soil∧	water)	WATER	_	I	Lab S	ample ID:	LAB BLANK	
Sample wt/vo	ol:	5.0	(g/ml) ML		Lab F	ile ID:	7C102604.D	<u> </u>
Level: (low/r	ned)	LOW	-	. 1	Date I	Received:	08/20/00	
% Moisture:	not dec.			I	Date .	Analyzed:	10/26/00	
GC Column:	DB-62	4_ ID: <u>0.5</u>	53_ (mm)	!	Dilutio	on Factor:	1.0	
Soil Extract \	/olume:		_ (uL)	:	Soil A	diquot Vol	ume:	(uL)
Number TIC:	s found:	0		CONCENTR (ug/L or ug/k			·	
CAS NO.		COMPOU	ND NAME		F	RT E	ST. CONC.	Q

# VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

1 81	OUE-F-				0	△DI	TCL	P BLAN	K
₋ab Name:	SHEFFI	ELU			Contract:	CHL			
_ab Code:	5-CRL	Ca	se No.:	20000061	SAS No	o.: S	DG No.:	GCMS0	23
Matrix: (soil/v	vater)	WATER			Lal	b Sample ID:	TCLP B	LANK	
Sample wt/vo	ol:	5.0	g/ml)	ML	Lal	b File ID:	7C1026	05.D	
_evel: (low/n	ned)	LOW	_		Da	te Received:	08/20/0	0	
% Moisture: ı	not dec.				Da	te Analyzed:	10/26/0	0	
GC Column:	DB-62	4_ ID: 0	<u>53</u> (n	nm)	Dil	ution Factor:	1.0		
Soil Extract \	/olume:		(uL)		So	il Aliquot Vol	ume:		(uL
				COI	NCENTRA <sup>-</sup>	TION UNITS:			
CAS NO	).	COMF	DUND	(ug/	L or ug/Kg)	UG/L		Q	

67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	25	U
75-01-4	Vinyl chloride	10	U
127-18-4	Tetrachloroethene	5	U
75-35-4	1,1-Dichloroethene	5	U
79-01-6	Trichloroethene	5	U
56-23-5	Carbon tetrachloride	5	U
71-43-2	Benzene	5	U
108-90-7	Chlorobenzene	5	U
106-46-7	1,4-Dichlorobenzene	10	U

### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name:	SHEFFI	ELD			Contract	:	CRL		1 <b>V</b> /L	PDLA	IWIZ
Lab Code:	5-CRL	Cas	se No.:	20000061	SAS	lo.		St	DG No.:	GCMS	S023
Matrix: (soil/w	vater)	WATER	_		L	.ab	Sample I	D:	TCLP BI	LANK	
Sample wt/vo	ol:	5.0	(g/ml)	ML	_ L	.ab	File ID:		7C1026	05.D	_
Level: (low/m	ned)	LOW	_			at	e Receive	ed:	08/20/00	)	_
% Moisture: r	not dec.					at	te Analyze	d:	10/26/00	)	
GC Column:	DB-62	4 ID: <u>0</u> .	53_ (m	ım)		Dilu	ution Facto	or:	1.0		_
Soil Extract V	/olume:		(uL)		. 5	Soi	l Aliquot V	olu/	me:		_ (uL)
Number TICs	s found:	0			NCENTR/ L or ug/K		TON UNIT				
		0011001		B A F	İ			r	ST COM	_	
CAS NO.		COMPO	אא טאר	IVIE			RT		ST. CON	J.	Ų

#### 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S06 Lab Name: SHEFFIELD Contract: CRL Lab Code: 5-CRL Case No.: 20000061 SAS No.: SDG No.: GCMS023 Matrix: (soil/water) WATER Lab Sample ID: 2000RC05S06 Sample wt/vol: Lab File ID: 5.0 (g/ml) ML. 7C102606.D Level: (low/med) LOW Date Received: 08/20/00 % Moisture: not dec. Date Analyzed: 10/26/00 GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0 Soil Aliquot Volume: Soil Extract Volume: (uL) (uL)

#### CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/L		Q
67-66-3	Chloroform			0	WR
107-06-2	1,2-Dichloroeth	ane		0	YK R
78-93-3	2-Butanone			0	アト
75-01-4	Vinyl chloride			0	UR
127-18-4	Tetrachloroethe	ene	i	0	UR
75-35-4	1,1-Dichloroeth	ene		0	N. P.
79-01-6	Trichloroethene	<b>,</b>		0	VR
56-23-5	Carbon tetrachl	oride		0	XR
71-43-2	Benzene			0	MR
108-90-7	Chlorobenzene	ALLEN MANN TO THE PARTY OF THE		0	Y R
106-46-7	1,4-Dichlorober	nzene		0	UR

#### 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

.....

Lab Name: SHEFFIELD	Contra	ct: CRL	2000HC(	J5S06
Lab Name. SILITIELD	Contra	CI. OIL		]
Lab Code: 5-CRL C	Case No.: <u>20000061</u> SAS	No.:	_ SDG No.: GC	MS023
Matrix: (soil/water) WATER		Lab Sample	D: 2000RC05S	06
Sample wt/vol: 5.0	(g/ml) <u>ML</u>	Lab File ID:	7C102606.D	<u> </u>
Level: (low/med) LOW		Date Receiv	ved: 08/20/00	
% Moisture: not dec.		Date Analyz	zed: 10/26/00	
GC Column: DB-624 ID:	0.53 (mm)	Dilution Fac	etor: 1.0	<del></del> -
Soil Extract Volume:	(uL)	Soil Aliquot	Volume:	(uL)
Number TICs found: 0	CONCENT (ug/L or ug.	RATION UN /Kg) <u>UG</u>		
CAS NO. COMPO	OUND NAME	RT	EST. CONC.	0

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



#### REGION 5 CENTRAL REGIONAL LABORATORY

#### 536 SOUTH CLARK STREET

### CHICAGO, ILLINOIS 60605

Subject:

To:

Review of Region 5 Data for Sheffield Steel

Coutheloon Swam, Chemist From:

Region 5 Central Regional Laboratory

Patrick Kuefler DRE- 85

Attached are the results for Site: Sheffield Steel

CRL Data Set Number: 20000061 for analyses of: ICP RCRA Metals

Results are reported for sample numbers: 2000RC05S01-S08, D01

#### Results Status:

1	Υì	Acceptable for Use	
١.	$\Delta 1$	Acceptable for Use	

) Data Qualified, but Acceptable for use

( ) Data Unacceptable for Use

0 0	
Sylvia Driffin NOV O	2 2000
CRL/Data Management/Coordinator and Date	Received
Date Transmitted:NOV 0 2 2000	
	the customer survey form on the Region 5 Intranet: clicking on this link, or call George Schupp, CRL
Please sign and date this form below and return	it with any comments to:
Sylvia Griffin	
Data Management Coor	dinator
Region 5 Central Region	nal Laboratory
ML - 10C	
Received by and Date	E E E
Comments:	

Narrative Date:

10 26 2000

Analyst:

K. Swan

Batch Number:

20000061

Study:

Sheffield Steel

Parameter:

**ICP RCRA Metals** 

#### ICP NARRATIVE for Data Set 20000061

Nine samples (2000RC05S01-S08, D01) were submitted for the analysis of ICP RCRA metals. The samples were collected on 08 23 00 and received by the CRL on 08 24 00.

Solids were dried overnight and ground. The sample and digestion QC were digested for ICP metals on 10 16 00, following the 200.2 hot block standard digestion protocols for soil samples. All samples were digested within the six month hold time for metals. Sample analysis was performed on 10 18 00.

All analytical results files, sample information files and reformat files for ICP can be found on the R5CRL data server using the following paths:  $h:\r5crl\v013\metals\Kswan\20000061\3300dv$ 

The narrative, QC summary spreadsheets, sample result calculation spreadsheets and the final sample report for ICP can be found on the R5CRL data server using the following path: h:\r5crl\vol3\metals\Kswan\20000061\Reports1018

#### Results file 20000061 1226 101800+Zn M

Blanks were within reporting limit. Instrument and digestion QC are within range. Samples were run diluted due to high metal content. Samples were reprepared due to high levels of metals of interest and a higher-level spike solution was used.

Narrative by: Kathlun Sum Chemist, USEPA

Rt de le MOR. DON

2000 7/2/

acolos entunkaia poiecion aceie

I SAMPLE DESCRIPTION I SECTIMENTS SOLID I SECTIMENTS SOLID I SECTIMENTS SOLID I STOIMENTS SOLID I STOIMENTS SOLID I SECTIMENTS 1 NG/NG (007 91 1 SAMPLING DATE STASSED LAR ARRIVAL DATE STAYLOW, FULL DATE JOJA JUL MC/KG 1087 WT. PE/ME (DOY MY.) DU NUMMER SECTION OF ASET ALMIER RECEIVED STUDIES STUD ME 7 62 8 3 THE AND DESTRUCTION 46.7463 TATAL TEAP -063995/063999 5-04346 5-010 3453 DIVISION/BRANCH RCALL 5-043455 5-043457 5-063459 2743448 5-063490 5-04-3461 705-LUNGUS 10033-500 1007-502 1003-503 CBL LOS NUMBER 5 02/-くしろび

Sample Number: Sample Batch Number: Analysis Date:

RC05D01 20000061 Station ID: Study:

Sheffield

10 18 00

Steel

Element	<u>Amount</u>		<u>Units</u>
Silver	5	U, D	mg/kg
Barium	8.8		mg/kg
Cadmium	5	U, D	mg/kg
Chromium	530	D	mg/kg
Lead	80	U, D	mg/kg

Sample Number: Sample Batch Number:

Analysis Date:

RC05S01 20000061 Station ID:

Study:

Sheffield

10 18 00

Steel

Element	Amount	Units
Silver	5 U, D	mg/kg
Barium	8.5 D	mg/kg
Cadmium	5 U, D	mg/kg
Chromium	560 D	mg/kg
Lead	85 U, D	mg/kg

KRS 110100

Sample Number: Sample Batch Number: Analysis Date:

RC05S02 20000061 Station ID:

Study: Sheffield

10 18 00

Steel

Element				Amount		Units
Silver	9			2.5	U, D	mg/kg
Barium				9.5	D	mg/kg
Cadmium				2.5	U, D	mg/kg
Chromium	26	44	65	340	D	mg/kg
Lead				61	D	mg/kg

Sample Number: Sample Batch Number: Analysis Date:

RC05S03 20000061 10 18 00

Station ID:

Sheffield Study:

Steel

Element	Amount		<u>Units</u>
Silver	2.5	U, D	mg/kg
Barium	7.8	D	mg/kg
Cadmium	2.5	U, D	mg/kg
Chromium	380	D	mg/kg
Lead	44	D	mg/kg

KRS 11 0100

Sample Number: Sample Batch Number: Analysis Date:

RC05S04 20000061 10 18 00 Station ID:

Study: Sheffield

Steel

Element	Amou	<u>nt</u>	<u>Units</u>
Silver		2.5 U, D	mg/kg
Barium		190 D	mg/kg
Cadmium		4.3 D	mg/kg
Chromium		88 D	mg/kg
Lead		330 D	mg/kg

tks

Sample Number: Sample Batch Number:

RC05S05 20000061 Analysis Date: 10 18 00

Station ID:

Study:

Sheffield Steel

Element		Amount		Units
Silver		2.5	U, D	mg/kg
Barium		74	D	mg/kg
Cadmium	98	2.5	U, D	mg/kg
Chromium		81	D	mg/kg
Lead		800	D	mg/kg

KRS 110100

Sample Number: Sample Batch Number: Analysis Date:

RC05S06 20000061 10 18 00 Station ID:

Study: Sheffield

Steel

Element		Amo	unt		<u>Units</u>
Silver			2.5	U, D	mg/kg
Barium	29		68	D	mg/kg
Cadmium			20	D	mg/kg
Chromium			230	D	mg/kg
Lead		¥	220	D	mg/kg

14es

Sample Number: Sample Batch Number: Analysis Date:

RC05S07 20000061 10 18 00

Station ID:

Study:

Sheffield

Steel

Element			<u>Amount</u>		<u>Units</u>
Silver			2.5	U, D	mg/kg
Barium		38	130	D	mg/kg
Cadmium			3.7	D	mg/kg
Chromium			13	D	mg/kg
Lead			150	D	mg/kg

Sample Number: Sample Batch Number: Analysis Date:

RC05S08 20000061 10 18 00 Station ID:

Study: Sheffield

Steel

Element	Amount	Units
Silver	2.5 U, D	mg/kg
Barium	340 D	mg/kg
Cadmium	4.7 D	mg/kg
Chromium	16 D	mg/kg
Lead	280 D	mg/kg

110100

# **CRL Data Review Qualification Codes**

QUALIFIER	DESCRIPTION
В	This flag is used when the analyte is found in the associated <b>B</b> lank as well as the sample. It indicates possible blank contamination and warns the user to take appropriate action while assessing the data.
D	This flag is used when the analyte concentration results from a required <u>D</u> ilution of the sample, extract or digestate.
Е	This flag is used to identify analyte concentrations <u>E</u> xceeding the upper calibration range of the analytical instrument after dilution of the sample, extract or digestate <u>The reported value is considered to be estimated</u>
J	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL reporting limit (RL) but the quantitated value is <u>estimated</u> due to quality control limit(s) being exceeded. This flag accompanies all GC/MS tentatively identified compounds (TICs). This flag also applies to a suspected, unidentified interference. ( <u>J</u> is the flag used in the Superfund CLP SOW and Data Review Functional Guidelines and is used by CRL for consistency.)
M	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL <u>Method Detection Limit</u> (MDL) but below the CRL reporting limit (RL). This flag applies to all values in this concentration range and indicates the quantitated value is <u>estimated</u> due to its presence in this concentration range.
N	This flag applies to GC/MS Te <u>N</u> tatively Identified Compounds (TICs) that have a mass spectral library match.
Q	This flag applies to analyte data that are severely estimated due to quality control and/or <i>Q</i> uantitation problems, but are confirmed to be qualitatively present in the sample. No value is reported with this qualification flag.
R	This flag applies to analyte data that are <u>Rejected</u> and unusable due to severe quality control, quantitation and/or qualitative identification problems. No other qualification flags are reported for this analyte. <u>No value is reported with this qualification flag.</u>
U	This flag in used when the analyte was analyzed but <u>Undetected</u> in the sample. The CRL RL for the analyte accompanies this flag. As with sample results that are positive, the value is corrected for dry weight, dilution and/or sample weight or volume.

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



#### **REGION 5 CENTRAL REGIONAL LABORATORY**

#### 536 SOUTH CLARK STREET

### CHICAGO, ILLINOIS 60605

Date:

OCT 2 5 2000

Subject:

Review of Region 5 Data for Sheffield Steel

From:

Roger Rudinsky, Chemist Um

Region 5 Central Regional Laboratory

To:

Patrick Kuefler

DRE-8J

Attached are the results for Site: Sheffield Steel

CRL Data Set Number: 20000061

for analyses of : PAHs

Results are reported for sample numbers: (List of sample numbers) 2000RC05S01-2000RC05S07

2000RC05S01MS 2000RC05S01MSD and 2000RC05D01.

#### Results Status:

- (X) Acceptable for Use
- (X) Data Qualified, but Acceptable for use For the compound data qualified UJ or J, please see the attached case narrative.
- ( ) Data Unacceptable for Use .

Date Transmitted: \_\_\_\_\_\_\_

Please have the US EPA project leader fill out the customer survey form on the Region 5 Intranet: http://www.r5intra.epa.gov/crl/qa.html, (← by clicking on this link, or call George Schupp, CRL Sample Coordinator, at 3-1226).

Please sign and date this form below and return it with any comments to:

Sylvia Griffin

Data Management Coordinator

Region 5 Central Regional Laboratory

ML - 10C

Received by and Date

Comments:

SAMPLING DATE \$123/CD LAB AND TO BUT STANCES

SAMPLING DATE STANCES FOR THE TEAMS THATE SUBSTANCES

					002	SO	Sub	58	Son	883	200	S01	20	Sub	505	200	S03	200	Do	202	シログログロン		CAL 106
					5-143463	5-063472	5-043471	5063470	27123416	5-023468	5-003467	5-1163466	5-013460	5743458	X	2	77	5-063449	5-063:	5-063447/5063477	to the gas		SAWLE DESCRIPTION
										Secretary Control of the Control of				And the state of t							1 TOX17500	CS SCAL CHLAN	
to ghade were sugges when reference springer and				The state of the s					The state of the s	The charge of the contract of		The state of the s									TORISTA	AZ Z CWGAYICS SC	T T T T
			them the																			<b>35</b> 0000	e sculments solid
	co-cal copy to the state of the	Control of the contro		Charge The Charge Man and Charge Anna and Char				The state of the s			THE CONTRACTOR OF THE CONTRACT									8	10x2 55 75 75 75 75 75 75 75 75 75 75 75 75	ANY CREANICS SC	s sediments sold
				•									·	_	in the second			egeter (fetta )	1 to	B GTE Phroward on 420	· (2000 - (2000 - 1	Carle quan o	

## CRL Data Review Qualification Codes

QUALIFIER	DESCRIPTION
В	This flag is used when the analyte is found in the associated <b>B</b> lank as well as the sample. It indicates possible blank contamination and warns the user to take appropriate action while assessing the data. See the case narrative for a discussion of common lab contaminants and/or the relative concentration of contamination in the samples and blanks for relevance.
D	This flag is used when the analyte concentration results from a required $\underline{D}$ ilution of the sample, extract or digestate.
E	This flag is used to identify analyte concentrations <u>E</u> xceeding the upper calibration range of the analytical instrument after dilution of the sample, extract or digestate.  The reported value is considered to be estimated
J	This flag is used when the analyte is <u>estimated</u> due to quality control limit(s) being exceeded. This flag accompanies all GC/MS tentatively identified compounds (TICs). This flag also applies to a suspected, unidentified interference. This flag is placed on affected detected results as well as non-detected (i.e., "U" flagged) results. ( <u>J</u> is the flag used in the Superfund CLP SOW and Data Review Functional Guidelines and is used by CRL for consistency.)
M	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL <u>Method Detection Limit (MDL)</u> but below the CRL reporting limit (RL). This flag applies to all values in this concentration range and indicates the quantitated value is <u>estimated</u> due to its presence in this concentration range.
N	This flag applies to GC/MS TeNtatively Identified Compounds (TICs) that have a mass spectral library match.
Q	This flag applies to analyte data that are severely estimated due to quality control and/or <i>Q</i> uantitation problems, but are confirmed to be qualitatively present in the sample. No value is reported with this qualification flag.
R	This flag applies to analyte data that are <u>Rejected</u> and unusable due to severe quality control, quantitation and/or qualitative identification problems. No other qualification flags are reported for this analyte. <u>No value is reported with this qualification flag</u> .
U	This flag in used when the analyte was analyzed but <u>U</u> ndetected in the sample. The CRL RL for the analyte accompanies this flag. As with sample results that are positive, the value is corrected for dry weight, dilution and/or sample weight or volume.

#### CASE NARRATIVE

DATE: October 11, 2000

PROJECT NAME: Sheffield Steel - CRL Case #: 20000061

Analysis of Polynuclear Aromatic Hydrocarbons

Organic Analytes (PAH)

ANALYST: Roger Rudinsky, Chemist

REVIEWERS: Babu Paruchuri, Chemist

#### I. CASE DESCRIPTION:

The laboratory received 10 soil samples from the subject site for PAH analysis. The samples were collected on 8/23/00. The soil samples were Soxhlet extracted and analyzed by GC/MS technique. All these tasks were completed within the sample holding time requirements. The QC criterion for sample holding times for soil extraction is 14 days from day of collection and for analysis 40 days from the day of extraction. These samples were received at the laboratory in good condition.

#### II. INSTRUMENT QUALITY CONTROLS:

- 1. <u>Instrument Performance Check:</u> The samples were analyzed on September 19th . IPCs using DFTPP were made on GC/MS to determine if EPA tuning criteria were met. The QC criteria are the same as those found in the Clean Water Act(CWA NPDES SOP).All ions were within specifications.
- 2. <u>Initial Calibration Check:</u> An acceptable five point initial calibration (IC) curve (QC Criteria for IC: %RSD should be  $\leq$  30%) is required for all target compounds before samples can be analyzed.

The initial calibration data collected on September 19<sup>th</sup> was acceptable for all of the compounds.

3. <u>Continuing Calibration Check:</u> An acceptable continuing calibration (CC - QC Criteria for CC: %D should be < 25%) is required for all target compounds before samples can be analyzed.

The continuing calibration data file (1C091902) was acceptable for all of the compounds.

The continuing calibration data file (1C091917) was acceptable for all of the compounds.

4. <u>Internal Standard (IS) Area and Retention Time Summary:</u> Some samples did not meet the internal standard (IS) area QC requirements. (QC Criteria for IS Area: internal standard areas of the samples should be - 50% to + 200% of the corresponding IS areas of the daily calibration standard).

These samples were 2000RC05D01, -S01, -S01MS, -S01MSD, -S05, -S06 and -S07 had IS6 area counts outside the acceptance range. Samples 2000RC05S02 and -S03 had both IS5 and IS6 area counts outside their acceptance ranges.

All samples met the internal standard (IS) RT QC requirements. (QC Criteria for RT: RT of the IS compounds in the samples should be within 30 seconds of the daily calibration standard IS compounds).

#### III. METHOD QUALITY CONTROL:

- 1.Method Blank Results: On the day of extraction,a
  Lab Blank (reagents spiked with surrogates)
  was extracted and analyzed to check the extraction apparatus
  and GC/MS systems for laboratory contamination
  (see Form I ABN). If TCLs were detected in the
  Method Blank samples, data for the affected batch of
  samples were qualified B(B = found in Method Blank) if
  the same TCLs were also detected in the site
  samples. No target compounds or TICS were found in the
  blank.
- 2. <u>Surrogate Spike Compound Results:</u> Some surrogate spike compound recovery data were outside the QC limits. These included:

For the soil samples analyzed on September 19th there were a few outliers: 2000RC05S01MS, -S01MSD and -S03 had S1 with a recovery outside acceptance limits.

No corrective action is taken unless two or more of the surrogates are outside acceptance ranges. In addition two or more of the outliers must be from the same fraction acid or base/neutral for any data qualification to occur. When this happens all detects are flagged with a 'J' and all non-detects with a 'UJ'. The acid surrogates are S1,S2 and S5. In the case where one surrogate is high and one is low and both are from the same fraction only detected compounds are given the "J" flag.

#### 3. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results:

2000RC05S01 was used for MS/MSDs for the soil samples.

No data was qualified based on the MS/MSD data.

4. <u>Laboratory Control Sample (LCS):</u> On the day of extraction Laboratory Control Samples (LCS and LCS Duplicaté) were extracted and analyzed with the site samples.

In keeping with the new QC plan this pair of samples was not used for any data qualification since the MS/MSD appears to be a good indicator of target compound recovery precision.

5. <u>Performance Evaluation Sample (PES):</u> Not applicable.

#### IV. SAMPLE RESULTS:

We have discovered that the GC/MS column we are using is not capable of separating 3-methylphenol and 4-methylphenol. We have ordered a new column that will be capable of this for future analysis.

We have noticed that the concentration of one of our surrogates Phenol-D5 in our standard mixes obtained from Supelco is greater now than in previous batches. We will contact the vendor to explain this.

Most of the samples had a large peak that extended from approximately 15 minutes to the end of each run. It appeared to be a mixture of both aliphatic and aromatic hydrocarbons. It was impossible to identify each of them so we integrated the entire peak and reported it as a TIC. We labeled this peak as unknown hydrocarbon.

In almost all cases manual integration was performed for the following reasons:

- (1) The manual integration was performed because the entire compound peak area was not integrated by the software. The spectra of both before and after may or may not be identical depending on co-eluting peaks.
- (2) The software selected the wrong peak for integration.

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MB 8/28

Lab Name:	SHEFFI	ELD ST	EEL		Contract:	ML-10C		
Lab Code:	USEPA	-R5	Case No.:	20000061	SAS No	.: S	DG No.: GCMS0	26
Matrix: (soil/v	vater)	SOIL			Lat	Sample ID:	MB 8/28	
Sample wt/vo	ol:	30.08	(g/ml)	G	Lal	File ID:	1C091909.D	
Level: (low/n	ned)	LOW			Da	te Received:		
% Moisture:	0	(Poplarium)	decanted:(`	Y/N)N	I Da	te Extracted:	08/28/00	
Concentrated	d Extract	Volume	: 1000	(uL)	Da	te Analyzed:	09/19/00	
Injection Volu	ume: <u>1</u>	.0 (ul	L)		Dil	ution Factor:	1.0	
GPC Cleanu	p: (Y/N)	Y	pH: _					-

### CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q
91-20-3	Naphthalene		660	· U
91-57-6	2-Methylnaphthalene		660	U
208-96-8	Acenaphthylene		660	U
83-32-9	Acenaphthene		660	U
86-73-7	Fluorene		660	Ų
85-01-8	Phenanthrene		660	U
120-12-7	Anthracene		660	U
206-44-0	Fluoranthene		660	U
129-00-0	Pyrene		660	U
56-55-3	Benzo[a]anthracene		660	U
218-01- <del>9</del>	Chrysene		660	' U
205-99-2	Benzo[b]fluoranthene		660	U
207-08-9	Benzo[k]fluoranthene		660	U
50-32-8	Benzo[a]pyrene		660	U
193-39-5	Indeno[1,2,3-cd]pyrene		660	U
53-70-3	Dibenz[a,h]anthracene		660	U
191-24-2	Benzo[g,h,i]perylene		660	U

NO TICS DETECTED

FORM I SV-1

3/90

# SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name:	SHEFFI	ELD ST	EEL	Contract	: ML-10	C	MB	8/28
Lab Code:	USEPA-	-R5_	Case No.: 200000	61 SAS N	lo.:	sı	DG No.: GC	CMS026
Matrix: (soil/v	water)	SOIL		L	ab Samp	le ID:	MB 8/28	
Sample wt/vo	ol:	30.08	(g/ml) G	· L	ab File II	D;	1C091909.I	)
Level: (low/r	ned)	LOW		D	ate Rece	eived:		
% Moisture:	0		lecanted: (Y/N)	N D	ate Extra	acted:	08/28/00	
Concentrated	d Extract	Volume:	1000 (uL)	D	ate Anal	yzed:	09/19/00	
Injection Volu	ume: <u>1.</u>	0(uL	)	C	ilution Fa	actor:	1.0	
GPC Cleanu	p: (Y/N)	Y	pH:					
				CONCEN	TRATIO	N UNI	TS:	
Number TICs	s found:	0	a Shir Janail mari A cha'a cha' ca a' can a cha' chaille ann an dh' a a a chaille ann an ann an ann ann ann an	(ug/L or u	g/Kg)	UG/	KG	
CAS NUME	BER	COMP	OUND NAME		RT	ES	ST. CONC.	Q

# 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S01 Lab Name: SHEFFIELD STEEL Contract: ML-10C Lab Code: USEPA-R5 Case No.: 20000061 SAS No.: SDG No.: GCMS026 SOIL Matrix: (soil/water) Lab Sample ID: 61S01 Sample wt/vol: 30.0334 (g/ml) G Lab File ID: 1C091919.D LOW Level: (low/med) Date Received: 08/24/00 % Moisture: 2.5514 decanted:(Y/N) Ν Date Extracted: 08/28/00 Concentrated Extract Volume: 1000 Date Analyzed: 09/20/00 (uL) Injection Volume: 1.0 (uL) Dilution Factor: 5.0 GPC Cleanup: (Y/N) pH:

#### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q	
91-20-3	Naphthalene		3400	U	
91-57-6	2-Methylnaphthalene		3400	Ų	
208-96-8	Acenaphthylene		3400	U	
83-32-9	Acenaphthene		3400	U	
86-73-7	Fluorene		3400	U	
85-01-8	Phenanthrene		3400	U	
120-12-7	Anthracene		3400	U	
206-44-0	Fluoranthene		3400	U	
129-00-0	Pyrene		3400	U	
56-55-3	Benzo[a]anthracene		3400	U	
218-01-9	Chrysene		3400	U	
205-99-2	Benzo[b]fluoranthene		3400	リブ	
207-08-9	Benzo[k]fluoranthene		3400	UJ	
50-32-8	Benzo[a]pyrene		3400	UJ	
193-39-5	Indeno[1,2,3-cd]pyrene		3400	UJ	
53-70-3	Dibenz[a,h]anthracene		3400	UJ	
191-24-2	Benzo[g,h,i]perylene		3400	UT	

# SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name:	SHEFFI	ELD STE	ΞL	Contrac	t: ML-10C	;	2000R	C05S01
Lab Code:	USEPA-	R5 C	ase No.: 20000	0061 SAS	No.:	SD	G No.: <u>G</u>	CMS026
Matrix: (soil/v	vater)	SOIL		.	Lab Sample	ID: 6	S1S01	
Sample wt/vo	ol:	30.0334	(g/ml) G	• 40 ***********************************	Lab File ID:	<u>1</u>	C091919	.D
Level: (low/n	ned)	LOW		•	Date Receiv	/ed: C	08/24/00	
% Moisture:	2.551	<u>4</u> de	canted: (Y/N)	N	Date Extrac	ted: C	08/28/00	
Concentrated	d Extract	Volume:	1000 (uL)		Date Analyz	ed: <u>C</u>	9/20/00	
Injection Volu	ıme: <u>1.</u>	<u>)</u> (uL)		1	Dilution Fac	tor: 5	5.0	
GPC Cleanup	p: (Y/N)	Y	_ pH:	_				
				CONCE	NTRATION	UNITS	S:	
Number TICs	found:	1		(ug/L or	ug/Kg)	UG/K	G	
CAS NUME	BER	COMPO	OUND NAME		RT	EST	CONC.	Q

29.47

870000

unknown hydrocarbon

1.

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05D01

Lab Name:	SHEFFIELD ST		Contract:	ML-10C	
Lab Code:	USEPA-R5	Case No.: 20000061	SAS No	.: S	DG No.: GCMS026
Matrix: (soil/w	vater) <u>SOIL</u>	· · ·	Lak	Sample ID:	61D01
Sample wt/vo	ol: <u>30.016</u>	6 (g/ml) G	Lab	File ID:	1C091918.D
Level: (low/m	ned) <u>LOW</u>		Da	te Received:	08/24/00
% Moisture:	2.8246	decanted:(Y/N)N	l Da	te Extracted:	08/28/00
Concentrated	l Extract Volume	: <u>1000</u> (uL)	Da	te Analyzed:	09/19/00
Injection Volu	ıme: <u>1.0</u> (u	L)	Dili	ution Factor:	5.0
GPC Cleanup	o: (Y/N)	pH:			

#### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND (ug/L or	ug/Kg) UG/KG	Q	
91-20-3	Naphthalene	3400	U	
91-57-6	2-Methylnaphthalene	3400	U	
208-96-8	Acenaphthylene	3400	U	
83-32-9	Acenaphthene	3400	U	
86-73-7	Fluorene	3400	U	
85-01 <b>-</b> 8	Phenanthrene	3400	Ų	
120-12-7	Anthracene	3400	U	
206-44-0	Fluoranthene	3400	U	
129-00-0	Pyrene	3400	U·	
56-55-3	Benzo[a]anthracene	3400	U	
218-01-9	Chrysene	3400	U	
205-99-2	Benzo[b]fluoranthene	3400	UJ	
207-08-9	Benzo[k]fluoranthene	3400	UĴ	
50-32-8	Benzo[a]pyrene	3400	UJ	
193-39-5	Indeno[1,2,3-cd]pyrene	3400	UJ	
53-70-3	Dibenz[a,h]anthracene	3400	UĴ	
191-24-2	Benzo[g,h,i]perylene	3400	UŢ	

# SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05D01

Lab Name:	SHEFF	IELD S	TEEL	Contract:	ML-10C		2000	KCUSD	ויט
Lab Code:	USEPA	-R5_	Case No.: 2000	0061 SAS No	o.:	SD	G No.:	GCMS	026
Matrix: (soil/	water)	SOIL		La	b Sample I	D: 6	31D01		
Sample wt/v	ol:	30.016	6 (g/ml) <u>G</u>	La	b File ID:	1	C0919	18.D	
Level: (low/	med)	LOW		Da	ite Receive	ed: C	08/24/00	)	
% Moisture:	2.824	16	decanted: (Y/N)	N Da	ite Extracte	ed: C	8/28/00	)	
Concentrate	d Extract	Volume	e: 1000 (uL)	Da	ate Analyze	ed: C	9/19/00	)	
Injection Vol	ume: 1.	0 (u	L)	Di	lution Facto	or: <u>5</u>	5.0		
GPC Cleanu	ıp: (Y/N)	Υ	pH:	_					
Number TIC	s found:		2	CONCENT		JNIT: JG/K			
CAS NUM	BER	COM	POUND NAME		RT	EST	. CON	D. <sub>.</sub>	Q
1.		unkno	wn hydrocarbon		29.45		56000	0	JD
2.		unkno	wn PAH		31.13		340	0	JD

# 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S02

Lab Name:	SHEFF	ELD \$1	TEEL		Contract:	ML-10C	200011000002
Lab Code:	USEPA	-R5	Case No.:	20000061	SAS No	o.: S	DG No.: GCMS026
Matrix: (soil/\	water)	SOIL			La	b Sample ID:	61S02
Sample wt/vo	ol:	30.015	54 (g/ml)	<u>G</u>	La	b File ID:	1C091922.D
Level: (low/r	ned)	LOW			Da	te Received:	08/24/00
% Moisture:	3.661	4	decanted:(	(Y/N)N	l Da	te Extracted:	08/28/00
Concentrate	d Extract	Volume	e: 1000	(uL)	Da	te Analyzed:	09/20/00
Injection Volu	ume: 1	.0 (u	L)		Dil	ution Factor:	5.0
GPC Cleanu	p: (Y/N)	Y	pH: _				

### CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q
91-20-3	Naphthalene	· · · · · · · · · · · · · · · · · · ·	3500	U
91-57-6	2-Methylnaphthalene	:	3500	U
208-96-8	Acenaphthylene		3500	U.
83-32-9	Acenaphthene		3500	U
86-73-7	Fluorene		3500	U
85-01-8	Phenanthrene		3500	U
120-12-7	Anthracene		3500	Ū
206-44-0	Fluoranthene		3500	U
129-00-0	Pyrene		3500	UJ
56-55-3	Benzo[a]anthracene		3500	UJ
218-01-9	Chrysene		3500	UJ
205-99-2	Benzo[b]fluoranthene		3500	UJ
207-08-9	Benzo[k]fluoranthene		3500	UJ
50-32-8	Benzo[a]pyrene		3500	UJ
193-39-5	Indeno[1,2,3-cd]pyrene		3500	UJ
53-70-3	Dibenz[a,h]anthracene		3500	UJ
191-24-2	Benzo[g,h,i]perylene		3500	UJ

# SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name:	SHEFFIELD S	STEEL	Contract:	ML-10C	20001(000002
Lab Code:	USEPA-R5	Case No.: 2000006	1 SAS No	o.: S	DG No.: GCMS026
Matrix: (soil/v	vater) <u>SOIL</u>	<u> </u>	La	b Sample ID:	61S02
Sample wt/vo	ol: <u>30.0</u> °	154 (g/ml) G	_ La	b File ID:	1C091922.D
Level: (low/n	ned) <u>LOW</u>	<u>.</u>	Da	ite Received:	08/24/00
% Moisture:	3.6614	decanted: (Y/N)	N Da	ite Extracted:	08/28/00
Concentrated	d Extract Volum	ne: 1000 (uL)	Da	ate Analyzed:	09/20/00
Injection Volu	ıme: <u>1.0</u> (	uL)	Dil	ution Factor:	5.0
GPC Cleanu	p: (Y/N)	/pH:			
			CONCENT	RATION UNI	TS:
Number TICs	s found:	3	(ug/L or ug	ı/Kg) UG/	/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 055282-68-3	1,1':3',1"-Tercyclopentane, 2'-dod	28.29	5300	JND
2. 022599-96-8	Cholestan-3-ol, 2-methylene-, (3.	28.89	8300	JND
3.	unknown hydrocarbon	31.88	1900000	JD

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S03

Lab Name:	SHEFFIELD S	TEEL	Contract:	ML-10C	2000RC03303
Lab Code:	USEPA-R5	Case No.: 20000061	SAS No.	:S[	OG No.: GCMS026
Matrix: (soil/v	water) SOIL		Lab	Sample ID:	61S03
Sample wt/vo	ol: <u>30.47</u>	74 (g/ml) G	Lab	File ID:	1C091923.D
Level: (low/r	ned) LOW		Dat	e Received:	08/24/00
% Moisture:	9.4987	decanted:(Y/N) N	Dat	e Extracted:	08/28/00
Concentrated	d Extract Volume	e: 1000 (uL)	Dat	e Analyzed:	09/20/00
Injection Volu	ume: <u>1.0</u> (u	L)	Dilu	tion Factor:	5.0
GPC Cleanu	p: (Y/N)Y	pH:			
CASNO		MDOUND		ENTRATION L	

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q
91-20-3	Naphthalene		3600	U
91-57-6	2-Methylnaphthalene		3600	U
208-96-8	Acenaphthylene		3600	U
83-32-9	Acenaphthene		3600	U
86-73-7	Fluorene		3600	Ų
85-01-8	Phenanthrene		3600	U
120-12-7	Anthracene		3600	Ų
206-44-0	Fluoranthene	1	3600	U
129-00-0	Pyrene		3600	UJ
56-55-3	Benzo[a]anthracene		3600	リブ
218-01-9	Chrysene		3600	UJ
205-99-2	Benzo[b]fluoranthene		3600	UJ
207-08-9	Benzo[k]fluoranthene		3600	UJ
50-32-8	Benzo[a]pyrene	***************************************	3600	リブ
193-39-5	Indeno[1,2,3-cd]pyrene		3600	U♂
53-70-3	Dibenz[a,h]anthracene		3600	UJ
191-24-2	Benzo[g,h,i]perylene		3600	υĴ

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S03 Lab Name: SHEFFIELD STEEL Contract: ML-10C Lab Code: USEPA-R5 Case No.: 20000061 SAS No.: SDG No.: GCMS026 Matrix: (soil/water) SOIL

Lab Sample ID: 61S03 Sample wt/vol: 30.4774 (g/ml) G Lab File ID: 1C091923.D Level: (low/med) LOW

Date Received: 08/24/00 % Moisture: 9.4987 decanted: (Y/N) Date Extracted: 08/28/00

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 09/20/00

Injection Volume: 1.0 (uL) Dilution Factor: 5.0 GPC Cleanup: (Y/N) Y pH:

10

Number TICs found:

#### **CONCENTRATION UNITS:**

(ug/L or ug/Kg)

CAS NUMBER COMPOUND NAME RT EST. CONC. Q 11.03 unknown 7300

l.	UITKIIOWII	11.03	7300	JU
2.	unknown	12.05	4100	JD
3. 015869-94-0	Octane, 3,6-dimethyl- (CAS) \$\$ 3	12.59	4100	JND
4. 000629-50-5	Tridecane (CAS) \$\$ n-Tridecane	13.03	6100	JND
5. 000629-59-4	Tetradecane (CAS) \$\$ n-Tetrade	14.51	9000	JND
6. 000111-01-3	Tetracosane, 2,6,10,15,19,23-hex	15.34	3500	JND
7.	unknown	15.67	12000	JD
8. 000629-62-9	Pentadecane (CAS) \$\$ n-Pentad	15.89	6900	JND
9.	unknown	16.28	3300	JD
10.	unknown hydrocarbon	29.23	3600000	JD

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S04

Lab Name:	SHEFFI	ELD ST	EEL		Contract:	ML-10C	
Lab Code:	USEPA-	R5	Case No.:	20000061	SAS No	.: \$	DG No.: GCMS026
Matrix: (soil/v	water)	SOIL	n 1 <sup>111</sup> 1 <sup>11</sup> 1 1 1 1 1 1 1 1 1 1 1 1 1		Lab	Sample ID:	61S04
Sample wt/vo	ol:	29.971	(g/ml)	G	Lab	File ID:	1C091924.D
Level: (low/r	ned)	LOW			Dat	e Received:	08/24/00
% Moisture:	26.741	7	decanted:(	Y/N) <u>N</u>	l Dat	e Extracted:	08/28/00
Concentrated	d Extract	Volume	: 1000	(uL)	Dat	e Analyzed:	09/20/00
Injection Volu	ume: <u>1</u> .	.0 (ul	L)		Dilu	ution Factor:	10.0
GPC Cleanu	p: (Y/N)	Y	pH: _				
* .							

### CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q
91-20-3	Naphthalene		9100	U
91-57-6	2-Methylnaphthalene		9100	U
208-96-8	Acenaphthylene		9100	U
83-32-9	Acenaphthene		9100	Ų
86-73-7	Fluorene		9100	U
85-01-8	Phenanthrene		9100	U
120-12-7	Anthracene		9100	U
206-44-0	Fluoranthene		9100	U
129-00-0	Pyrene		9100	U
56-55-3	Benzo[a]anthracene		9100	Ų
218-01-9	Chrysene		9100	U
205-99-2	Benzo[b]fluoranthene		9100	Ų
207-08-9	Benzo[k]fluoranthene		9100	U
50-32-8	Benzo[a]pyrene		9100	Ų
193-39-5	Indeno[1,2,3-cd]pyrene		9100	U
53-70 <b>-</b> 3	Dibenz[a,h]anthracene		9100	U
191-24-2	Benzo[g,h,i]perylene		9100	U

# SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S04 Lab Name: SHEFFIELD STEEL Contract: ML-10C Lab Code: USEPA-R5 Case No.: 20000061 SAS No.: SDG No.: GCMS026 Matrix: (soil/water) SOIL Lab Sample ID: 61S04 Sample wt/vol: 29.971 (g/ml) G Lab File ID: 1C091924.D Level: (low/med) LOW Date Received: 08/24/00 % Moisture: 26.7417 decanted: (Y/N) Date Extracted: 08/28/00 Concentrated Extract Volume: 1000 Date Analyzed: 09/20/00 Injection Volume: 1.0 (uL) Dilution Factor: 10.0 GPC Cleanup: (Y/N) Υ pH: **CONCENTRATION UNITS:** Number TICs found: (ug/L or ug/Kg) UG/KG

RT

30.17

EST. CONC.

450000

Q

JD

COMPOUND NAME

unknown hydrocarbon

CAS NUMBER

1.

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S05

Lab Name:	SHEFFI	ELD ST	<u> </u>		Contract:	ML-10C	_ L	
Lab Code:	USEPA-	-R5	Case No.:	20000061	_ SAS No	o.: S	DG No.:	GCMS026
Matrix: (soil/\	water)	SOIL			La	b Sample ID:	61S05	
Sample wt/ve	ol:	30.000	6 (g/ml)	G	La	b File ID:	1C0919	25.D
Level: (low/r	med)	LOW	, mar gar sa ya ga mama		Da	ite Received:	08/24/00	)
% Moisture:	12.398	34	decanted:(	Y/N)1	N Da	ite Extracted:	08/28/00	)
Concentrate	d Extract	Volume	1000	(uL)	Da	ite Analyzed:	09/20/00	)
Injection Vol	ume: 1	.0(uL	_)		Dil	ution Factor:	5.0	
GPC Cleanu	p: (Y/N)	Y	pH: _					

#### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q	
91-20-3	Naphthalene	:	3800	U	
91-57-6	2-Methylnaphthalene		3800	Ų	
208-96-8	Acenaphthylene		3800	U	
83-32-9	Acenaphthene		3800	U	
86-73-7	Fluorene		3800	Ų	
85-01-8	Phenanthrene		3800	U	
120-12-7	Anthracene		3800	U	
206-44-0	Fluoranthene		3800	U	
129-00-0	Pyrene		3800	U	
56-55-3	Benzo[a]anthracene		3800	U	
218-01-9	Chrysene		3800	U	
205-99-2	Benzo[b]fluoranthene		3800	UJ	
207-08-9	Benzo[k]fluoranthene		3800	リブ	
50-32-8	Benzo[a]pyrene	1	3800	UJ	
193-39-5	Indeno[1,2,3-cd]pyrene		3800	UJ	
53-70-3	Dibenz[a,h]anthracene		3800	UJ	
191-24-2	Benzo[g,h,i]perylene		3800	Uブ	

# SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S05

Lab Name:	SHEFFI	ELD STE	EL		Contract:	ML-10C		
Lab Code:	USEPA-	R5 (	Case No.:	20000061	SAS No	o.; S	SDG No.:	GCMS026
Matrix: (soil/w	vater)	SOIL			Lal	b Sample ID:	61\$05	
Sample wt/vo	ol:	30.0006	(g/ml	) G	Lal	b File ID:	1C09192	5.D
Level: (low/n	ned)	LOW			Da	te Received:	08/24/00	· 
% Moisture:	12.398	<u>84</u> d	ecanted: (	Y/N) N	Da	te Extracted:	08/28/00	
Concentrated	Extract \	Volume:	1000	(uL)	Da	te Analyzed:	09/20/00	
Injection Volu	ıme: <u>1.0</u>	(uL)			Dil	ution Factor:	5.0	
GPC Cleanup	o: (Y/N)	ΥΥ	pH:			•		
					CONCENT	RATION UN	ITS:	
Number TICs	found:	2		•	(ug/L or ug	/Kg) UG	/KG	

CAS NUMBER	COMPOUND NAME	RT <sub>.</sub>	EST. CONC.	Q
1. 001330-20-7	XYLENE	5.13	2800	JND
2.	unknown hydrocarbon	29.47	170000	JD

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S06

Lab Name: SHEFFIELD STEEL Contract: ML-10C Lab Code: USEPA-R5 Case No.: 20000061 SAS No.: SDG No.: GCMS026 Matrix: (soil/water) SOIL Lab Sample ID: 61S06 Sample wt/vol: 29.9872 (g/ml) G Lab File ID: 1C091926.D Level: (low/med) LOW Date Received: 08/24/00 % Moisture: 19.8557 decanted:(Y/N) Ν Date Extracted: 08/28/00 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 09/20/00 Injection Volume: 1.0 (uL) Dilution Factor: 5.0 GPC Cleanup: (Y/N) pH:

#### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q
91-20-3	Naphthalene		4200	U
91-57-6	2-Methylnaphthalene		4200	U
208-96-8	Acenaphthylene		4200	U
83-32-9	Acenaphthene		4200	U
86-73-7	Fluorene		4200	U
85-01-8	Phenanthrene	×1111111	4200	U
120-12-7	Anthracene		4200	U
206-44-0	Fluoranthene		4200	U
129-00-0	Pyrene		4300	D
56-55-3	Benzo[a]anthracene		4200	U
218-01-9	Chrysene		4200	U
205-99-2	Benzo[b]fluoranthene		4200	UJ
207-08-9	Benzo[k]fluoranthene		4200	UJ
50-32-8	Benzo[a]pyrene		4200	U J
193-39-5	Indeno[1,2,3-cd]pyrene		4200	UJ
53-70-3	Dibenz[a,h]anthracene		4200	UJ
191-24-2	Benzo[g,h,i]perylene		4200	UJ

# SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S06 Lab Name: SHEFFIELD STEEL Contract: ML-10C Lab Code: USEPA-R5 Case No.: 20000061 SAS No.: SDG No.: GCMS026 Matrix: (soil/water) SOIL Lab Sample ID: 61S06 Sample wt/vol: 29.9872 (g/ml) G Lab File ID: 1C091926.D Level: (low/med) LOW Date Received: 08/24/00 Date Extracted: 08/28/00 % Moisture: 19.8557 decanted: (Y/N) Concentrated Extract Volume: 1000 Date Analyzed: 09/20/00 Injection Volume: 1.0 (uL) Dilution Factor: 5.0 GPC Cleanup: (Y/N) Υ pH: **CONCENTRATION UNITS:** Number TICs found: 2 (ug/L or ug/Kg) UG/KG

ĺ	man and and and					
	CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q	
	1. 000000-00-0	nonylphenol diethoxylate	24.35	2300	JND	ĺ

unknown hydrocarbon

29.47

310000

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2000RC05S07

Lab Name:	SHEFF	ELD ST	EEL		Contract:	ML-10C	·
Lab Code:	USEPA-	R5_	Case No.:	20000061	SAS No	.: s	DG No.: GCMS026
Matrix: (soil/v	vater)	SOIL	hand a second se		Lat	Sample ID:	61S07
Sample wt/vo	ol:	30.043	(g/ml)	G	Lab	File ID:	1C091927.D
Level: (low/n	ned)	LOW			Da	te Received:	08/24/00
% Moisture:	18.586	52	decanted:(	Y/N) N	l Da	te Extracted:	08/28/00
Concentrated	d Extract	Volume	: 1000	(uL)	Da	te Analyzed:	09/20/00
Injection Volu	ıme: <u>1</u> .	<u>0</u> (ul	_)		Dile	ution Factor:	10.0
GPC Cleanu	p: (Y/N)	Y	pH: _				

#### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q
91-20-3	Naphthalene		8200	Ų
91-57-6	2-Methylnaphthalene		8200	U
208-96-8	Acenaphthylene		8200	U .
83-32-9	Acenaphthene		8200	U
86-73-7	Fluorene		8200	U
85-01-8	Phenanthrene		77000	D
120-12-7	Anthracene		15000	D
206-44-0	Fluoranthene		72000	D
129-00-0	Pyrene		68000	D
56-55-3	Benzo[a]anthracene		37000	D
218-01-9	Chrysene		41000	D
205-99-2	Benzo[b]fluoranthene		50000	D $\mathcal J$
207-08-9	Benzo[k]fluoranthene		19000	DΙ
50-32-8	Benzo[a]pyrene		32000	DJ
193-39-5	Indeno[1,2,3-cd]pyrene	- The state of the	16000	D J
53-70-3	Dibenz[a,h]anthracene		8200	UĴ
191-24-2	Benzo[g,h,i]perylene	20000	D J	

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name:	SHEFFI	ELD ST	EEL	(	Contract:	ML-10C	2000RC05507
Lab Code:	USEPA-	·R5_	Case No.: 200	00061	SAS No	.: S	DG No.: GCMS026
Matrix: (soil/v	water)	SOIL			Lab	Sample ID:	61S07
Sample wt/vo	ol:	30.043	(g/ml) G		Lab	File ID:	1C091927.D
Level: (low/n	ned)	LOW			Dat	e Received:	08/24/00
% Moisture:	18.586	32	decanted: (Y/N)	) <u>N</u>	Dat	e Extracted:	08/28/00
Concentrated	d Extract	Volume	: <u>1000</u> (uL	)	Dat	e Analyzed:	09/20/00
Injection Volu	ume: 1.0	) (ul	_)		Dilu	ution Factor:	10.0
GPC Cleanu	n: (V/NI)	V	nH·				

#### **CONCENTRATION UNITS:**

UG/KG

(ug/L or ug/Kg)

	4,01			:
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 000132-65-0	Dibenzothiophene (CAS) \$\$ 9-Th	19.31	5100	JND
2. 000613-12-7	Anthracene, 2-methyl- (CAS) \$\$	20.91	13000	JND
3.	unknown PAH	21.17	13000	JD
4 000084-65-1	9.10-Anthracenedione (CAS) \$\$	21.73	13000	INID

Number TICs found: 10

1.	000132-65-0	Dibenzothiophene (CAS) \$\$ 9-Th	19.31	5100	JND
2.	000613-12-7	Anthracene, 2-methyl- (CAS) \$\$	20.91	13000	JND
3.		unknown PAH	21.17	13000	JD .
4.	000084-65-1	9,10-Anthracenedione (CAS) \$\$	21.73	13000	JND
5.		unknown PAH	24.18	8300	JD
6.		unknown hydrocarbon	29.13	950000	JD
7.		unknown PAH	29.58	17000	JD
8.		unknown PAH	31.95	5300	JD
9:		unknown PAH	36.18	5800	JD
10.		unknown PAH	36.47	9100	JD

# Collier Shannon Scott

Collier Shannon Scott, PLLC Washington Harbour, Suite 400 3050 K Street, NW Washington, DC 20007-5108 202.342.8400 TEL 202.342.8451 FAX

JOHN L. WITTENBORN 202.342.8514 jwittenborn@colliershannon.com

October 24, 2000

VIA FACSIMILE (312) 886-1515

Freedom of Information Officer U.S. EPA Region 5 (MRI-9J) 77 West Jackson Blvd. Chicago, IL 60604-3590

Re: Sheffield Steel - Joliet Facility, EPA I.D. No. ILD151759258

Dear Sir or Madam:

Pursuant to the Freedom of Information Act, 5 U.S.C. § 552 <u>et. seq.</u>, we hereby request copies of all records in the custody or control of the United States Environmental Protection Agency ("EPA") regarding all of the soil samples EPA or its agents took on August 23, 2000, at Sheffield Steel Corporation - Joliet plant site, located at One Industry Avenue, Joliet, Illinois, 60434.

This request includes, but is not limited to, documents containing the following information:

- (1) the locations at the Joliet plant site from which each sample was taken;
- (2) description of the sampling protocol used including the number of samples taken;
- (3) description of the testing procedure used and the constituents for which EPA tested; and
- (4) the concentrations of each of these constituents.

We agree to pay all reasonable costs associated with responding to this request. Our taxpayer identification number is 52-1231464. If costs are to exceed \$500, please call us with an estimate prior to proceeding.

If you have any questions, please contact us at (202) 342-8514.

Sincerely

JOHN L. WITTENBORN

CHRISTINA B. PARASCANDOLA

Counsel to Sheffield Steel Corporation

# Collier Shannon Scott

Freedom of Information Act Officer October 24, 2000 Page 2

cc: Douglas Strickland

Sheffield Steel Corporation

Deirdre Flannery-Tanaka, Esq. U.S. Environmental Protection Agency - Region V

Patrick Kuefler

Sarah Monette

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



### **REGION 5 CENTRAL REGIONAL LABORATORY**

### 536 SOUTH CLARK STREET

# CHICAGO, ILLINOIS 60605

Date:
C 11 ( P 1 CP 1 CP 4 C C1 CC-14 C4-1
Subject: Review of Region 5 Data for Sheffield Steel
From: Matthew Knopp, Chemist Mak 9.29 CD Region 5 Central Regional Laboratory
To: Patrick Kuefler DRE-87
Attached are the results for Site: Sheffield Steel
CRL Data Set Number: 20000061
for analyses of : Arsenic and Seleniumm
Results are reported for sample numbers: 2000RC05S01-S08 and D01
Results Status:
( ) Acceptable for Use

(X) Data Qualified, but Acceptable for use

( ) Data Unacceptable for Use

Date Transmitted: OCT 0 4 2000

OCT 0 4 2000

As, Se

Please have the US EPA project leader fill out the customer survey form on the Region 5 Intranet: http://www.r5intra.epa.gov/crl/qa.html, ( by clicking on this link, or call George Schupp, CRL Sample Coordinator, at 3-1226).

Please sign and date this form below and return it with any comments to:

Sylvia Griffin
Data Management Coordinator
Region 5 Central Regional Laboratory
ML - 10C

Received by and Date

Comments:

Site Name: SHEFFIELD STEEL

Date Generated: 09.29.00

Method Number: <u>AA METALS</u>

Data Set #: 20000061

#### GFAA NARRATIVE for Data Set 20000061

Nine soil samples (2000RC05S01-S08 and D01) were submitted for the analysis of total arsenic and selenium by Graphite Furnace Atomic Absorption (GFAA). The samples were collected on 08.23.00 and were received by the CRL on 08.24.00.

The samples were digested for arsenic and selenium following the 200.2 hot block standard digestion protocols for soil samples. The sample was digested by K. Swan on 09.13.00 (digestion number 1212). Sample analysis began on 09.18.00 and was completed on 09.19.00.

All analytical results files, sample information files and reformat files for arsenic and selenium can be found on the R5CRL data server using the following paths: h:\r5crl\vol3\metals\mknopp\20000061\SIMAA\

The narrative, QC summary spreadsheets, sample result calculation spreadsheets and the final sample report for arsenic and selenium can be found on the R5CRL data server using the following path:

h:\r5crl\vol3\metals\mknopp\20000061\GFAA\

- \* Please note: In-house control limits have not been established for the PE SIMAA 6000 methods at this time. Interim limits were used to evaluate the data.
- \* Please note: The raw data erroneously shows sample 2000RC05D01 as 2000RC0<u>1</u>D01. This was an analyst error during analysis and was corrected on the final sample report.
- \* Please note: Results from the analytical run that took place on 09.18.00 were erroneously appended to results file 071900 in the AsSe directory on the (C:) drive of the instrument. The entire 071900 results file was subsequently copied from the (C:) drive and placed into the h:\r5crl\vol3\metals\mknop\20000061\SIMAA\ directory.

Narrative by

\_\_Chemist, USEPA

Date:

#### Arsenic

#### Results file 091800

The recovery (73.5%) for the Reporting Level Check (RLC) standard was outside the interim control limits of 100 +/- 20%. The RLC limits are intended to be used as guidance limits. The instrument was successfully calibrated using a calibration standard at the RLC limit. Therefore, the analyst believes that this audit failure does not have a significant impact on the data.

The recovery (137.45%) on the matrix spike of sample 2000RC05S06 was outside of the interim soil control limits of 100 +/- 20%. This is most likely due to an inhomogeneous sample. However, all associated data were flagged with a (J) to indicate possible high bias.

All remaining QC were within the specified interim control limits.

All arsenic data are acceptable with qualification.

#### Results file 091900

All QC were within the specified interim control limits.

All arsenic data are acceptable with qualification.

#### Selenium

#### Results file 091800

\* Please note: Most, if not all, of the analytical spikes were biased high and outside of the interim control limits of 100 +/-10%. This is acceptable because the sample results are all below the CRL reporting limit.

The result of the soil Laboratory Control Sample (LQM) (1.23  $\mu g$  Se/L) before being converted to mg/Kg and corrected for dilution, was below the CRL reporting limit of 2.5  $\mu g$  Se/L. However, the result was above the CRL method detection limit of 1  $\mu g$  Se/L. This was discussed with the CRL metals group leader and was deemed to be an acceptable result for QC calculation purposes.

Narrative by: 21 X Chemist, USEPA
Date: 3 2 7 00

Page 2 of 3

All remaining QC were within the specified interim control limits.

All selenium data are acceptable.

Results file 091900

Results for selenium were not derived from this analytical run.

Narrative by: Marrative by: Chemist, USEPA

Page 3 of 3

# **CRL Data Review Qualification Codes**

QUALIFIER	DESCRIPTION
В	This flag is used when the analyte is found in the associated <u>B</u> lank as well as the sample. It indicates possible blank contamination and warns the user to take appropriate action while assessing the data. See the case narrative for a discussion of common lab contaminants and/or the relative concentration of contamination in the samples and blanks for relevance.
D	This flag is used when the analyte concentration results from a required <u>D</u> ilution of the sample, extract or digestate.
E	This flag is used to identify analyte concentrations <u>Exceeding</u> the upper calibration range of the analytical instrument after dilution of the sample, extract or digestate.  The reported value is considered to be estimated
J	This flag is used when the analyte is <u>estimated</u> due to quality control limit(s) being exceeded. This flag accompanies all GC/MS tentatively identified compounds (TICs). This flag also applies to a suspected, unidentified interference. This flag is placed on affected detected results as well as non-detected (i.e., "U" flagged) results. ( <u>J</u> is the flag used in the Superfund CLP SOW and Data Review Functional Guidelines and is used by CRL for consistency.)
M	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL <u>Method Detection Limit (MDL)</u> but below the CRL reporting limit (RL). This flag applies to all values in this concentration range and indicates the quantitated value is <u>estimated</u> due to its presence in this concentration range.
N	This flag applies to GC/MS Te <u>N</u> tatively Identified Compounds (TICs) that have a mass spectral library match.
Q	This flag applies to analyte data that are severely estimated due to quality control and/or <i>Q</i> uantitation problems, but are confirmed to be qualitatively present in the sample. No value is reported with this qualification flag.
R	This flag applies to analyte data that are <u>Rejected</u> and unusable due to severe quality control, quantitation and/or qualitative identification problems. No other qualification flags are reported for this analyte. <u>No value is reported with this qualification flag</u> .
U	This flag in used when the analyte was analyzed but <u>Undetected</u> in the sample. The CRL RL for the analyte accompanies this flag. As with sample results that are positive, the value is corrected for dry weight, dilution and/or sample weight or volume.

DATA SET: 20000061

# FINAL GFAA SAMPLE REPORT (SOIL SAMPLES)

SAMPLE ID	As <u>Final Result (mg/Kg)</u>	Qualifier	Se Final Result (mg/Kg)	Qualifier
2000RC05S01	47.2	DJ	2.4	DU
2000RC05D01	44.5	DJ	2.6	DU
2000RC05S02	38.0	DJ	2.4	DU
2000RC05S03	26.8	DJ	1.3	DU
2000RC05S04	21.8	DJ	1.3	DU
2000RC05S05	18.0	DJ	1.2	DU
2000RC05S06	37.3	DJ	1.3	DU
2000RC05S07	23.5	DJ	1.3	DU
2000RC05S08	26.0	DJ	1.3	DU

Analyst: M. Yaya

Date: 9. 2 9 . 00

LIVINGIMENTAL PROTECTION ACTICY

	23-501	25 - 250 27 - 250 28 - 170 202 - 203 203 - 203 203 - 203 203 - 203 204 - 203	TONGE I SOME STATES OF THE STA
	5-1123 461	5-06349 5-06349 5-06349 5-06349 5-063453 5-063453 5-063453 5-063453	
			CAINSE MUNER SCREEN SAVELING ONES WELL SENIOR SAVELING ONES SAVELING ONE
			HUTTIEN STEEL LANGE CORY ST. 1 SECTION STEEL LANGE CORY ST. 1 ST.
			MANAME STATES
			CONTRACTOR TEST

DATA SET: 20000061

# FINAL GFAA SAMPLE REPORT (SOIL SAMPLES)

SAMPLE <u>ID</u>	As <u>Final Result (mg/Kg)</u>	Qualifier	Se Final Result (mg/Kg)	Qualifier
2000RC05S01	47.2	DJ	2.4	DU
2000RC05D01	44.5	DJ	2.6	DU
2000RC05S02	38.0	DJ	2.4	DU
2000RC05S03	26.8	DJ	1.3	DU
2000RC05S04	21.8	DJ	1.3	DU
2000RC05S05	18.0	DĴ	1.2	DU
2000RC05S06	37.3	DJ	1.3	DU
2000RC05S07	23.5	DJ	1.3	DU
2000RC05S08	26.0	DJ	1,3	DU

M. Kap

Date: 9.29 00

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



#### **REGION 5 CENTRAL REGIONAL LABORATORY**

#### 536 SOUTH CLARK STREET

### CHICAGO, ILLINOIS 60605

Date:

OCT 0 2 2000

Subject:

Review of Region 5 Data for Sheffield Steel

From:

Nidia Fuentes, Chemist 41

Region 5 Central Regional Laboratory

To:

Patrick Kuefler DRE-8J

Attached are the results for Site: Sheffield Steel

CRL Data Set Number: 2000 0061

for analyses of : VOA - Soil

Results are reported for sample numbers: 2000RC05S01, S02, S03, S04, S05, S06, S07 and D02

#### **Results Status:**

- (X) Acceptable for Use
- (X ) Data Qualified, but Acceptable for use
- ( ) Data Unacceptable for Use

OCT 0 2 2000 CRL Data Management Coordinator and Date Received OCT 0 2 2000 Date Transmitted: \_\_\_\_ Please have the US EPA project leader fill out the customer survey form on the Region 5 Intranet: http://www.r5intra.epa.gov/crl/qa.html, ( by clicking on this link, or call George Schupp, CRL Sample Coordinator, at 3-1226). Please sign and date this form below and return it with any comments to: Sylvia Griffin Data Management Coordinator Region 5 Central Regional Laboratory ML - 10C Received by and Date Comments:

2000006

901020

FOR THE TEAMS THREE SUBSTANCES,

DIVISION/NHA.VEM ACCEPT DIVISION/HHANEH KCKIT HUMMEH 2000000 SAMILING HAIE 8/23/CO LAB ARMIVAL DATE 8/24/00 DUF DATE 10/9/2000 HUMBER 90103-D WAIASET HUMMEH 20000000 SHEFFIELD STEBLURIUMITY CONTRACTOR TECH LAW

SAMPLE DESCRIPTION MATER   MATER   SECTIFIATS SOLID   SECTIFIATS SOLID   SECTIFIATS SOLID   SECTIFIATS SOLID   SAN ORGANICS SECTIFIATION   S		52 202 203 203	Sex Sex	305 Sp. 203 Sp	100 105 507 0000	MINT TOG NIME TOG
TILE UNDANICS SC VULATILE ORGANI ANN UNGANICS SC S SCAN OUTAL TOXIP574 TOXIP572 TOXIP5722 TOXIP5722					5-063447	
UNGANICS SC VULATILE ONGANI ANN UNGANICS SC S SCAN ANN UNGANICS TOX215622 TOX215722					TO # 1 75 6 4	
MENTY SOLID S SHAN URGANICS CAN AN UNGANICS TOXELSTEE					TOX1757a	CHEVAICA
EDIMENTS 301  EVAR (DRY)  OXEISTEE				T0x215&22		
						<b>4</b> 5

# CRL Data Validation Qualification Codes

QUALIFIER	DESCRIPTION
В	This flag is used when the analyte is found in the associated <u>B</u> lank as well as the sample. It indicates possible blank contamination and warns the user to take appropriate action while assessing the data.
D	This flag is used when the analyte concentration results from a required <u>D</u> ilution of the sample, extract or digestate.
Е	This flag is used to identify analyte concentrations <u>Exceeding</u> the upper calibration range of the analytical instrument after dilution of the sample, extract or digestate. <u>The reported value is considered to be estimated</u>
J	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL reporting limit (RL) but the quantitated value is <u>estimated</u> due to quality control limit(s) being exceeded. This flag accompanies all GC/MS tentatively identified compounds (TICs). This flag also applies to a suspected, unidentified interference.  ( <u>J</u> is the flag used in the Superfund CLP SOW and Data Review Functional Guidelines and is used by CRL for consistency.)
M	This flag is used when the analyte is confirmed to be qualitatively present in the sample, extract or digestate, at or above the CRL <u>Method Detection Limit</u> (MDL) but below the CRL reporting limit (RL). This flag applies to all values in this concentration range and indicates the quantitated value is <u>estimated</u> due to its presence in this concentration range.
N	This flag applies to GC/MS TICs that have No mass spectral library match.
Q	This flag applies to analyte data that are severely estimated due to quality control and/or <i>Q</i> uantitation problems, but are confirmed to be qualitatively present in the sample. No value is reported with this qualification flag.
R	This flag applies to analyte data that are <u>Rejected</u> and unusable due to severe quality control, quantitation and/or qualitative identification problems. No other qualification flags are reported for this analyte. <u>No value is reported</u> with this qualification flag.
U	This flag in used when the analyte was analyzed but <u>Undetected</u> in the sample. The CRL RL for the analyte accompanies this flag. As with sample results that are positive, the value is corrected for dry weight, dilution and/or sample weight or volume.

Case Harrative sukm

ling H.T.)

#### CASE NARRATIVE

DATE: September 19, 2000

PROJECT NAME: Sheffield Steel- CRL Case #:20000061

Analysis of Volatile Organic Analytes (VOA)

ANALYST: Nidia Fuentes, Chemist 17

REVIEWER: Babu Paruchuri, GC/MS Team Leader For SP - RwR

#### I. CASE DESCRIPTION:

The laboratory received eight encore-soil samples (2000RC05S01 to S07 and D02) on 08/24/00 for volatile organic analyte (VOA) analysis. These samples were preserved in the lab with sodium bisulfate within the recommended time frame. Samples were analyzed on 08/31/00 by the CRL Method GCMS001, on instrument #4. The laboratory met sample analysis holding time criteria for all samples. (QC Criteria for soil preserved sample analysis holding time: 14 days from the date of collection.) These samples were received at the laboratory in good condition.

## II. INSTRUMENT QUALITY CONTROLS:

- 1. <u>Instrument Performance Check:</u> On each day of analysis, the GC/MS instrument (HP-MSD#4) performance checks were made to determine whether the instrument met the EPA tuning criteria for p-BFB (QC Criteria: Same as the CWA's criteria). No problems were observed.
- 2. Initial Calibration Check: An acceptable five point initial calibration (IC) curve (QC Criteria for IC: %RSD should be  $\leq$  35%) is required for all target compounds before samples can be analyzed. The lab generated one IC curve. Data was generated on 8/16/00, having a few outliers, corresponding to acrolein, acrylonitrile and 2-butanone data had been flagged as estimated. Methylene chloride and acrolein have three levels of the calibration. Their reporting limits were adjusted accordingly.
- 3. Continuing Calibration Check: One continuing calibration check (CCC) standard was evaluated to analyze the site samples. The CCC data generated on 08/31/2000 met the CRL QC requirements for all compounds (QC Criteria for CC: %D should be  $\leq$  30%.) except for acrolein and 2-butanone. All site samples were analyzed by this calibration and flagged as

estimated 'J' for compounds mentioned above.

4. Internal Standard (IS) Area and Retention Time (RT) Summary: Samples 2000RC05S03 and S02MSD, failed the three internal standard (IS) area QC requirements, sample S04, S05, S06, D02 and S02MS, chlorobenzene-d5 IS not meet QC requirements. Affected compounds had been flagged as estimated 'J'. The samples were reanalyzed and, if same results were obtained first results were used for reporting results.

#### III. METHOD QUALITY CONTROL:

- 1. Method Blank Results: On the each day of sample analysis, 5-ml of reagent water with 5 gram of clean soil (ottawa sand) was spiked with internal standards and surrogates and was analyzed to check the GC/MS and purge and trap systems. Acetone was found in method blank, two other targets compounds 2-butanone and naphthalene were also detected at levels below the CRL reporting limits and therefore were not reported. Site samples analyzed after this lab blank and positive for compound mentioned above had been flagged as 'B' for found in blank. A second blank was analyzed with sodium bisulfate used for the preservation of sample, acetone was present and no TIC.
- 2. <u>Surrogate Spike Compound Results:</u> The surrogate spike compound recovery data were within the CRL's QC limits for three out of eight site samples. Surrogate: toluene-d8 was out of the QC limits in samples 2000RC05S03, MS and MSD. No data is qualified when only one surrogate is outside the QC requirement limits, as per the CRL SOP.
- 3. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results: The laboratory collected site-specific matrix precision and accuracy (P&A) data using the site sample 2000RC05S02. A few percent recoveries were biased high from S02MS. No more sample was available for reanalysis. No qualification is required.
- 4. Laboratory Control Sample (LCS): Not applicable.
- 5. <u>Performance Evaluation Sample (PES):</u> Not applicable. QC Criteria for the PES: Control Limits are established by EMSL-LV.

### IV. SAMPLE RESULTS:

The laboratory generated data of acceptable quality. Samples not meeting the QC criteria for internal standard were reanalyzed. If results were remained not acceptable, first analysis was used for reporting purposes, no other problem was observed.

EPA SAMPLE NO.

LAB BLANK

Lab Name:	Sheffield	d Steel		Contract: CRL	
Lab Code:	ML-10C		Case No.: 20000061	SAS No.:	SDG No.: GCMS001
Matrix: (soil/v	water)	SOIL		Lab Sample	ID: LAB BLANK
Sample wt/vo	ol:	5.0	(g/ml) <u>G</u>	_ Lab File ID:	4C083103.D
Level: (low/r	ned)	LOW		Date Receiv	red: <u>08/24/00</u>
% Moisture:	not dec.	0	····	Date Analyz	ed: <u>08/31/00</u>
GC Column:	DB-62	4 ID:	<u>0.53</u> (mm)	Dilution Fact	tor: <u>1.0</u>
Soil Extract \	√olume:		(uL)	Soil Aliquot	Volume: (

## CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
107-64-1	Acrolein	500	U_N
75-35-4	1,1-Dichloroethene	5	U
67-64-1	Acetone	17	
75-15-0	Carbon disulfide	5	U
75-09-2	Methylene chloride	100	U
107-13-1	Acrylonitrile	10	UJ
75-34-3	trans-1,2-Dichloroethene	5	U
75-34-3	1,1-Dichloroethane	5	Ų
78-93-3	2-Butanone	25	UJ
156-59-2	cis-1,2-Dichloroethene	j 5	U
594-20-7	2,2-Dichloropropane	5	U
74-97-5	Bromochloromethane	5	U
67-66-3	Chloroform	5	U
71-55-6	1,1,1-Trichloroethane	5	U
563-58-6	1,1-Dichloropropene	5	U
56-23-5	Carbon tetrachloride	5	U
107-06-2	1,2-Dichloroethane	5	U
71-43-2	Benzene	5	U
79-01-6	Trichloroethene	5	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
108-10-1	4-Methyl-2-pentanone	20	U
108-88-3	Toluene	5	U
000110-75-8	2-Chloroether vinyl ether	10	U
10061-01-5	trans-1,3-Dichloropropene	5	U
79-00-5	1,1,2-Trichloroethane	5	U
142-28-9	1,3-Dichloropropane	5	U
127-18-4	Tetrachloroethene	5	U
591-78-6	2-Hexanone	25	U
124-48-1	Dibromochloromethane	5	U
106-93-4	1,2-Dibromoethane	5	U
108-90-7	Chlorobenzene	5	U
630-20-6	1,1,1,2-Tetrachloroethane	5	U
100-41-4	Ethylbenzene	5	U
1083836423	m- &/or p-Xylene	5	U

nt/28/00

EPA SAMPLE NO.

LAB BLANK Lab Name: Sheffield Steel Contract: CRL Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 Matrix: (soil/water) SOIL Lab Sample ID: LAB BLANK Sample wt/vol: 5.0 (g/ml) G Lab File ID: 4C083103.D Level: (low/med) LOW Date Received: 08/24/00 % Moisture: not dec. 0 Date Analyzed: 08/31/00 GC Column: DB-624 ID: 0.53 Dilution Factor: 1.0 (mm)

Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND (ug/L or ug/K	g) <u>UG/KG</u>	Q
95-47-6	o-Xylene	5	U
100-42-5	Styrene	5	U
75-25-2	Bromoform	5	U
98-82-8	Isopropylbenzene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	15	U
96-18-4	1,2,3-Trichloropropane	15	U
108-86-1	Bromobenzene	5	U
103-65-1	n-Propylbenzene	5	U
95-49-8	2-Chlorotoluene	5	U
106-43-4	4-Chlorotoluene	5	U
108-67-8	1,3,5-Trimethylbenzene	5	U
98-06-6	tert-Butylbenzene	5	U
95-63-6	1,2,4-Trimethylbenzene	5	U
135-98-8	sec-Butylbenzene	5	U
99-87-6	p-lsopropyltoluene	5	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	Ų
104-51-8	n-Butylbenzene	5	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	20	U
120-82-1	1,2,4-Trichlorobenzene	5	U
87-68-3	Hexachlorobutadiene	5	U
91-20-3	Naphthalene	20	U
87-61-6	1,2,3-Trichlorobenzene	10	Ü

#### 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

JN

LAB BLANK Sheffield Steel Contract: CRL Lab Name: Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 Lab Sample ID: LAB BLANK Matrix: (soil/water) SOIL Lab File ID: 4C083103.D Sample wt/vol: 5.0 (g/ml) G Level: (low/med) LOW Date Received: 08/24/00 Date Analyzed: 08/31/00 % Moisture: not dec. 0 GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0 Soil Extract Volume: 1 Soil Aliquot Volume: 1 (uL) **CONCENTRATION UNITS:** (ug/L or ug/Kg) UG/KG Number TICs found: CAS NO. COMPOUND NAME RT EST. CONC. Q

Pentane (CAS) \$\$ n-Pentane \$\$

1. 000109-66-0

4.52

EPA SAMPLE NO.

DIUM BISUL-BLA

Lab Name:	Sheffield	d Steel		Contract:	CRL		
Lab Code:	ML-10C		Case No.: 20000061	SAS No	.: S	DG No.: GCMS0	01
Matrix: (soil/v	vater)	SOIL		Lal	Sample ID:	SODIUM BISUL-	·B
Sample wt/vo	ol:	5.0	(g/ml) <u>G</u>	Lal	o File ID:	4C083104.D	
Level: (low/n	ned)	LOW		Da	te Received:	08/24/00	
% Moisture: r	not dec.	0		Da	te Analyzed:	08/31/00	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (mm)	Dil	ution Factor:	1.0	
Soil Extract V	/olume:		(uL)	So	il Aliquot Volu	ıme:	(uL

## CONCENTRATION UNITS:

CAS NO.	COMPOUND (	ug/L or ug/Kg)	UG/KG		Q
CAS NO.	COMPOUND	ug/E or ug/Ng)	<u>od/Rd</u>		Q
74-87-3	Chloromethane			10	U
74-83-9	Bromomethane			10	U
75-00-3	Chloroethane			10	U
107-64-1	Acrolein		5	00	UJ
75-35-4	1,1-Dichloroethene			5	Ų
67-64-1	Acetone			15	В
75-15-0	Carbon disulfide			5	· U
75-09-2	Methylene chloride		1	00	U
107-13-1	Acrylonitrile			10	٦Ţ
75-34-3	trans-1,2-Dichloroet	hene		5	U
75-34-3	1,1-Dichloroethane			5	U
78-93-3	2-Butanone			25	UJ
156-59-2	cis-1,2-Dichloroethe	ne		5	U
594-20-7	2,2-Dichloropropane	)		5	U
74-97-5	Bromochloromethar	ie		5	Ų
67-66-3	Chloroform			5	U
71-55-6	1,1,1-Trichloroethan	e		5	U
563-58-6	1,1-Dichloropropene	)		5	U
56-23-5	Carbon tetrachloride	)		5	U
107-06-2	1,2-Dichloroethane		ALLON MINERAL PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PART	5	U
71-43-2	Benzene			5	U
79-01-6	Trichloroethene			5	U
78-87-5	1,2-Dichloropropane	)		10	U
75-27-4	Bromodichlorometh	ane		5	U
10061-01-5	cis-1,3-Dichloroprop	ene		5	U
108-10-1	4-Methyl-2-pentano	ne		20	U
108-88-3	Toluene			5	U
000110-75-8	2-Chloroether vinyl	ether		10	U
10061-01-5	trans-1,3-Dichloropr			5	Ų
79-00-5	1,1,2-Trichloroethan	e		5	U
142-28-9	1,3-Dichloropropane	)		5	U
127-18-4	Tetrachloroethene			5	U
591-78-6	2-Hexanone			25	U
124-48-1	Dibromochlorometh	ane		5	U
106-93-4	1,2-Dibromoethane			5	U
108-90-7	Chlorobenzene			5	U
630-20-6	1,1,1,2-Tetrachloroe	ethane		5	U
100-41-4	Ethylbenzene			5	Ų
1083836423	m- &/or p-Xylene			5	U

M2/29/00

EPA SAMPLE NO.

DIUM BISUL-BLA Lab Name: Sheffield Steel Contract: CRL Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 SOIL Matrix: (soil/water) Lab Sample ID: SODIUM BISUL- B Sample wt/vol: 5.0 (g/ml) G Lab File ID: 4C083104.D Level: (low/med) LOW Date Received: 08/24/00 % Moisture: not dec. 0 Date Analyzed: 08/31/00 GC Column: DB-624 ID: 0.53 Dilution Factor: 1.0 (mm) Soil Aliquot Volume: Soil Extract Volume: (uL) (uL)

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	_	Q
95-47-6	o-Xylene		5	U
100-42-5	Styrene		5	U
75-25-2	Bromoform		5	U .
98-82-8	Isopropylbenzene		5	U
79-34-5	1,1,2,2-Tetrachloroethane		15	U
96-18-4	1,2,3-Trichloropropane		15	U
108-86-1	Bromobenzene		5	U
103-65-1	n-Propylbenzene		5	U
95-49-8	2-Chlorotoluene		5	U
106-43-4	4-Chlorotoluene		5	U
108-67-8	1,3,5-Trimethylbenzene		5	U
98-06-6	tert-Butylbenzene		5	U
95-63-6	1,2,4-Trimethylbenzene		5	U
135-98-8	sec-Butylbenzene	l	5	U
99-87-6	p-Isopropyltoluene		5	U
541-73-1	1,3-Dichlorobenzene		10	U
106-46-7	1,4-Dichlorobenzene		10	U
104-51-8	n-Butylbenzene		5	U
95-50-1	1,2-Dichlorobenzene		10	U
96-12-8	1,2-Dibromo-3-chloropropane		20	U
120-82-1	1,2,4-Trichlorobenzene		5	U
87-68-3	Hexachlorobutadiene		5	U
91-20-3	Naphthalene		20	U
87-61-6	1,2,3-Trichlorobenzene		10	U

#### 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

DIUM BISUL-BLA

Lab Name:	Sheffield	Steel			Contract:	CRL				
Lab Code:	ML-10C	(	Case No.: <u>2000</u>	0061	SAS N	0.:	s	DG No.:	GCMS	001
Matrix: (soil/v	water)	SOIL			La	ıb Sampl	e ID:	SODIUN	I BISUL	B
Sample wt/vo	ol:	5.0	(g/ml) <u>G</u>		La	ıb File ID	):	4C0831	04.D	-
Level: (low/r	ned)	LOW			Da	ate Rece	ived:	08/24/00	)	-
% Moisture:	not dec.	0			Da	ate Analy	zed:	08/31/00	)	_
GC Column:	DB-62	4 ID:	0.53 (mm)		Di	lution Fa	ctor:	1.0		_
Soil Extract \	Volume:	1	(uL)		Sc	oil Aliquo	t Volu	ıme: <u>1</u>	v	_ (uL)
Number TICs	s found:	0			NCENTRA L or ug/Kg		NITS: G/KG	··········		·
CAS NO.		COMP	OUND NAME			RT	E	ST. CON	D.	Q

EPA SAMPLE NO.

2000RC05S03

Lab Name:	Sheffield	d Steel			Contract:	CRL		
Lab Code:	ML-10C		Case No.:	20000061	SAS No	o.: S	DG No.: GCMS	001
Matrix: (soil/v	vater)	SOIL			Lat	Sample ID:	2000RC05S03	
Sample wt/vo	ol:	5.1	(g/ml)	G	Lat	o File ID:	4C083108.D	
Level: (low/n	ned)	LOW			Da	te Received:	08/24/00	
% Moisture: r	not dec.	9.497			Da	te Analyzed:	08/31/00	
GC Column:	DB-62	4 ID:	<u>0.53</u> (n	nm)	Dile	ution Factor:	1.0	
Soil Extract V	/olume:		(uL)		Soi	il Aliquot Volu	ıme:	(uL

### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
74-87-3	Chloromethane	11	U_T
74-83-9	Bromomethane	11	U J
75-00-3	Chloroethane	11	dens.
107-64-1	Acrolein	540	τΰ
75-35-4	1,1-Dichloroethene	5	たし
67-64-1	Acetone	1900	EB_J
75-15-0	Carbon disulfide	23	ここ
75-09-2	Methylene chloride	110	UΣ
107-13-1	Acrylonitrile	11	UJ
75-34-3	trans-1,2-Dichloroethene	5	UJ
75-34-3	1,1-Dichloroethane	5	υJ
78-93-3	2-Butanone	630	2
156-59-2	cis-1,2-Dichloroethene	5	UJ
594-20-7	2,2-Dichloropropane	5	こし
74-97-5	Bromochloromethane	5	UJ
67-66-3	Chloroform	5	UJ
71-55-6	1,1,1-Trichloroethane	5	ここ
563-58-6	1,1-Dichloropropene	5	U 27
56-23-5	Carbon tetrachloride	5	U 3
107-06-2	1,2-Dichloroethane	5	T U
71-43-2	Benzene	5	UJ
79-01-6	Trichloroethene	5	υŠ
78-87-5	1,2-Dichloropropane	11	リゴ
75-27-4	Bromodichloromethane	5	こり
10061-01-5	cis-1,3-Dichloropropene	5	UJ
108-10-1	4-Methyl-2-pentanone	62	て
108-88-3	Toluene	6	J
000110-75-8	2-Chloroether vinyl ether	11	UJ
10061-01-5	trans-1,3-Dichloropropene	5	U J
79-00-5	1,1,2-Trichloroethane	5	UJ
142-28-9	1,3-Dichloropropane	5	υĴŢ
127-18-4	Tetrachloroethene	5	UI
591 <i>-</i> 78-6	2-Hexanone	110	T
124-48-1	Dibromochloromethane	5	UJ
106-93-4	1,2-Dibromoethane	5	UJ
108-90-7	Chlorobenzene	5	UJ
630-20-6	1,1,1,2-Tetrachloroethane	5	UJ
100-41-4	Ethylbenzene	5	lance-
1083836423	m- &/or p-Xylene	21	J

Mt 128/00

EPA SAMPLE NO.

2000RC05S03

Lab Name:	Sheffield	d Steel	A	Contract: CF	7L	2000110000	
Lab Code:	ML-10C	<u> </u>	Case No.: 20000061	SAS No.:	SE	OG No.: GCMS0	01
Matrix: (soil/v	water)	SOIL		Lab Sa	ample ID:	2000RC05S03	
Sample wt/vo	ol:	5.1	(g/ml) <u>G</u>	Lab Fi	le ID:	4C083108.D	
Level: (low/r	ned)	LOW		Date F	Received:	08/24/00	
% Moisture:	not dec.	9.497		Date A	Analyzed:	08/31/00	
GC Column:	DB-62	4 ID:	0.53 (mm)	Dilutio	n Factor:	1.0	
Soil Extract \	/olume:		(uL)	Soil Al	iquot Volur	ne:	(uL)

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene	9	3
100-42-5	Styrene	5	しゴ
75-25-2	Bromoform	5	υJ
98-82-8	Isopropylbenzene	5	UJ
79-34-5	1,1,2,2-Tetrachloroethane	16	Uゴ
96-18-4	1,2,3-Trichloropropane	16	UJ
108-86-1	Bromobenzene	5	して
103-65-1	n-Propylbenzene	5	UJ
95-49-8	2-Chlorotoluene	5	じり
106-43-4	4-Chlorotoluene	5	UJ
108-67-8	1,3,5-Trimethylbenzene	8	3
98-06-6	tert-Butylbenzene	5	し、J
95-63-6	1,2,4-Trimethylbenzene	23	J
135-98-8	sec-Butylbenzene	5	J. U
99-87-6	p-Isopropyltoluene	5	ひろ
541-73-1	1,3-Dichlorobenzene	11	UT
106-46-7	1,4-Dichlorobenzene	11	t U
104-51-8	n-Butylbenzene	5	UJ
95-50-1	1,2-Dichlorobenzene	11	υĞ
96-12-8	1,2-Dibromo-3-chloropropane	22	υŠ
120-82-1	1,2,4-Trichlorobenzene	5	UŽ
87-68-3	Hexachlorobutadiene	5	U.5 U.5 U.5
91-20-3	Naphthalene	22	UJ
87-61-6	1,2,3-Trichlorobenzene	11	UJ

#### 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S03

Sheffield Steel Contract: CRL Lab Name: Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 Lab Sample ID: 2000RC05S03 Matrix: (soil/water) SOIL 4C083108.D Sample wt/vol: 5.1 Lab File ID: (g/ml) G Date Received: 08/24/00 Level: (low/med) LOW Date Analyzed: 08/31/00 % Moisture: not dec. 9.497 GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0 Soil Aliquot Volume: 1 Soil Extract Volume: 1 (uL) (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg)

UG/KG

Number TICs found: 12

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000115-11-7	1-Propene, 2-methyl- (CAS) \$\$ 2-	3.41	230	JN
2. 000109-66-0	Pentane (CAS) \$\$ n-Pentane \$\$	4.52	19	JN
3. 000123-72-8	Butanal (CAS) \$\$ n-Butanal \$\$ B	7.02	13	JN
4.	unknown hydrocarbon	9.53	12	J
5. 000110-62-3	Pentanal (CAS) \$\$ n-Pentanal \$\$	9.68	14	JN
6.	unknown hydrocarbon	11.56	13	J
7.	unknown hydrocarbon	11.84	39	J
8. 000066-25-1	Hexanal (CAS) \$\$ n-Hexanal \$\$	12.85	44	JN
9.	unknown hydrocarbon	15.63	13	J
10. 000110-43-0	2-HEPTANONE	16.14	41	JN
11. 000111-71-7	Heptanal (CAS) \$\$ n-Heptanal \$\$	16.41	42	JN
12. 000928-68-7	2-Heptanone, 6-methyl- (CAS) \$\$	18.22	14	JN

EPA SAMPLE NO.

2000RC05S04

Lab Name: Sheffield Steel Contract: CRL Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 Matrix: (soil/water) SOIL Lab Sample ID: 2000RC05S04 3.3 Sample wt/vol: (g/ml) G Lab File ID: 4C083109.D Level: (low/med) LOW Date Received: 08/24/00 % Moisture: not dec. 26.74 Date Analyzed: 08/31/00 GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0 Soil Extract Volume: Soil Aliquot Volume: (uL)

#### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	· Q
74-87-3	Chloromethane		. 21	U
74-83-9	Bromomethane		21	U
75-00-3	Chloroethane		21	U
107-64-1	Acrolein		1000	UJ
75-35-4	1,1-Dichloroethene		10	U
67-64-1	Acetone		280	В
75-15-0	Carbon disulfide		10	U
75-09-2	Methylene chloride		210	U
107-13-1	Acrylonitrile		21	UJ
75-34-3	trans-1,2-Dichloroe	thene .	10	U
75-34-3	1,1-Dichloroethane		10	U
78-93-3	2-Butanone		53	مرسا
156-59-2	cis-1,2-Dichloroethe	ne	10	U
594-20-7	2,2-Dichloropropan	e	. 10	U
74-97-5	Bromochloromethai	ne	10	U
67-66-3	Chloroform		10	U
71-55-6	1,1,1-Trichloroethar	ne	10	U
563-58-6	1,1-Dichloropropen	9	10	U
56-23-5	Carbon tetrachlorid	е	10	U
107-06-2	1,2-Dichloroethane		10	U
71-43-2	Benzene		10	U
79-01-6	Trichloroethene		10	U
78-87-5	1,2-Dichloropropan	e	21	U
75-27-4	Bromodichlorometh	ane	10	U
10061-01-5	cis-1,3-Dichloroprop	pene	10	U
108-10-1	4-Methyl-2-pentano	ne	42	U
108-88-3	Toluene		12	
000110-75-8	2-Chloroether vinyl	ether	21	U
10061-01-5	trans-1,3-Dichlorop	ropene	10	U
79-00-5	1,1,2-Trichloroethar	ne	10	U
142-28-9	1,3-Dichloropropan	е	10	U
127-18-4	Tetrachloroethene		10	U
591-78-6	2-Hexanone		52	U
124-48-1	Dibromochlorometh	ane	10	U
106-93-4	1,2-Dibromoethane		10	U
108-90-7	Chlorobenzene		10	U
630-20-6	1,1,1,2-Tetrachloro	ethane	10	U
100-41-4	Ethylbenzene		10	U
1083836423	m- &/or p-Xylene		10	U

11/200

EPA SAMPLE NO.

2000RC05S04

Lab Name: Sheffield Steel Contract: CRL Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 Matrix: (soil/water) SOIL Lab Sample ID: 2000RC05S04 Sample wt/vol: 3.3 (g/ml) G Lab File ID: 4C083109.D Level: (low/med) LOW Date Received: 08/24/00 % Moisture: not dec. 26.74 Date Analyzed: 08/31/00 GC Column: DB-624 ID: 0.53 Dilution Factor: 1.0 (mm) Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
98-82-8	Isopropylbenzene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	31	U
96-18-4	1,2,3-Trichloropropane	31	U
108-86-1	Bromobenzene	10	U
103-65-1	n-Propylbenzene	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
108-67-8	1,3,5-Trimethylbenzene	10	U
98-06-6	tert-Butylbenzene	. 10	U
95-63-6	1,2,4-Trimethylbenzene	10	. U
135-98-8	sec-Butylbenzene	10	U
99-87-6	p-Isopropyltoluene	10	U
541-73-1	1,3-Dichlorobenzene	21	U
106-46-7	1,4-Dichlorobenzene	21	U
104-51-8	n-Butylbenzene	10	UJ
95-50-1	1,2-Dichlorobenzene	21	UJ
96-12-8	1,2-Dibromo-3-chloropropane	42	l UJ
120-82-1	1,2,4-Trichlorobenzene	10	UJ
87-68-3	Hexachlorobutadiene	10	UJ
91-20-3	Naphthalene	42	UJ
87-61-6	1,2,3-Trichlorobenzene	21	UJ

#### 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S04

Lab Name: Sheffield Steel Contract: CRL Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 Lab Sample ID: 2000RC05S04 SOIL Matrix: (soil/water) Lab File ID: 4C083109.D Sample wt/vol: 3.3 (g/ml) G Date Received: 08/24/00 Level: (low/med) LOW Date Analyzed: 08/31/00 % Moisture: not dec. 26.74 GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0 Soil Aliquot Volume: 1 Soil Extract Volume: 1 (uL) (uL)

**CONCENTRATION UNITS:** 

(ug/L or ug/Kg)

UG/KG

Number TICs found:

11

		!		
CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	4.43	9	J
2. 000109-66-0	Pentane (CAS) \$\$ n-Pentane \$\$	4.51	10	JN
3.	unknown	9.71	17	J
4. 000066-25-1	N-HEXANAL \$\$ CAPROALDEHY	12.85	82	JN
5. 000111-27-3	1-Hexanol (CAS) \$\$ n-Hexanol \$	15.60	20	JN
6. 000111-71-7	HEPTANAL	16.42	17	JN
7.	unknown	18.62	6	J
8.	unknown hydrocarbon	19.39	13	J
9.	unknown hydrocarbon	20.14	7	J
10.	unknown hydrocarbon	20.99	11	J
11. 000000-00-0	NONANAL	21.55	10	JN

EPA SAMPLE NO.

2000RC05S05

Lab Name:	Sheffield	Steel		Contract:	CRL		
Lab Code:	ML-10C		Case No.: 20000061	SAS No	o.: S	DG No.: GCMS	001
Matrix: (soil/v	vater)	SOIL		Lal	b Sample ID:	2000RC05S05	TT THE THANKS
Sample wt/vo	ol:	4.4	(g/ml) <u>G</u>	Lal	b File ID:	4C083110.D	
Level: (low/n	ned)	LOW		Da	te Received:	08/24/00	
% Moisture: r	not dec.	12.39		Da	te Analyzed:	08/31/00	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (mm)	Dil	ution Factor:	1.0	
Soil Extract V	/olume:		(uL)	So	il Aliquot Volu	ıme:	(uL)

## **CONCENTRATION UNITS:**

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
74-87-3	Chloromethane	13	U
74-83-9	Bromomethane	13	U
75-00-3	Chloroethane	13	U
107-64-1	Acrolein	650	U_IT
75-35-4	1,1-Dichloroethene	6	U
67-64-1	Acetone	170	В
75-15-0	Carbon disulfide	6	U
75-09-2	Methylene chloride	130	U
107-13-1	Acrylonitrile	13	じ
75-34-3	trans-1,2-Dichloroethene	6	U
75-34-3	1,1-Dichloroethane	6	U
78-93-3	2-Butanone	32	としてい
156-59-2	cis-1,2-Dichloroethene	6	U T
594-20-7	2,2-Dichloropropane	6	U
74-97-5	Bromochloromethane	6	U
67-66-3	Chloroform	6	U
71-55-6	1,1,1-Trichloroethane	6	U
563-58-6	1,1-Dichloropropene	6	U
56-23-5	Carbon tetrachloride	6	U
107-06-2	1,2-Dichloroethane	6	U
71-43-2	Benzene	6	U
79-01-6	Trichloroethene	14	
78-87-5	1,2-Dichloropropane	. 13	U.
75-27-4	Bromodichloromethane	6	U
10061-01-5	cis-1,3-Dichloropropene	6	U
108-10-1	4-Methyl-2-pentanone	26	U
108-88-3	Toluene	6	U
000110-75-8	2-Chloroether vinyl ether	13	U
10061-01-5	trans-1,3-Dichloropropene	6	U
79-00-5	1,1,2-Trichloroethane	6	U
142-28-9	1,3-Dichloropropane	6	Ų
127-18-4	Tetrachloroethene	6	U
591-78-6	2-Hexanone	32	U
124-48-1	Dibromochloromethane	6	U
106-93-4	1,2-Dibromoethane	6	U
108-90-7	Chlorobenzene	6	U
630-20-6	1,1,1,2-Tetrachloroethane	6	U
100-41-4	Ethylbenzene	6	H
1083836423	m- &/or p-Xylene	6	U

MX129100

EPA SAMPLE NO.

2000RC05S05

Lab Name:	Sheffield	d Steel		Contract: CRL				
Lab Code:	ML-10C		Code: ML-10C		Case No.: 20000061	SAS No.:	SDG No.: GCMS0	01
Matrix: (soil/v	water)	SOIL		Lab Sample II	D: 2000RC05S05			
Sample wt/vo	ol:	4.4	(g/ml) <u>G</u>	Lab File ID:	4C083110.D			
Level: (low/r	ned)	LOW		Date Received	d: <u>08/24/00</u>			
% Moisture: ı	not dec.	12.39		Date Analyzed	d: <u>08/31/00</u>			
GC Column:	DB-62	4_ ID:	<u>0.53</u> (mm)	Dilution Facto	r: 1.0			
Soil Extract \	/olume:		(uL)	Soil Aliquot Vo	olume:	(uL		

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene	6	U
100-42-5	Styrene	6	U
75-25-2	Bromoform	6	Ų
98-82-8	Isopropylbenzene	6	U
79-34-5	1,1,2,2-Tetrachloroethane	19	U
96-18-4	1,2,3-Trichloropropane	19	U
108-86-1	Bromobenzene	. 6	U
103-65-1	n-Propylbenzene	6	U
95-49-8	2-Chlorotoluene	6	U
106-43-4	4-Chlorotoluene	6	Ų
108-67-8	1,3,5-Trimethylbenzene	. 6	U
98-06-6	tert-Butylbenzene	6	U
95-63-6	1,2,4-Trimethylbenzene	6	U
135-98-8	sec-Butylbenzene	6	U
99-87-6	p-lsopropyltoluene	6	U
541-73-1	1,3-Dichlorobenzene	13	U
106-46-7	1,4-Dichlorobenzene	13	U
104-51-8	n-Butylbenzene	6	UJ
95-50-1	1,2-Dichlorobenzene	13	しつ
96-12-8	1,2-Dibromo-3-chloropropane	26	ŪĴ
120-82-1	1,2,4-Trichlorobenzene	6	ここり
87-68-3	Hexachlorobutadiene	6	UJ
91-20-3	Naphthalene	26	UJ CU
87-61-6	1,2,3-Trichlorobenzene	13	υJ

## 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S05

Lab Name:	Sheffield	Steel			Contract:	CRL			
Lab Code:	ML-10C		Case No.:	20000061	SAS No	o.:	SDG No.:	GCMS0	01
Matrix: (soil/v	vater)	SOIL	-		Lal	o Sample ID	: 2000RC	05805	
Sample wt/vo	ol:	4.4	(g/ml)	G	Lal	o File ID:	4C0831	10.D	
Level: (low/r	ned)	LOW			Da	te Received	: 08/24/00	)	
% Moisture: ı	not dec.	12.39			Da	te Analyzed	: 08/31/00	0	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (m	nm)	Dil	ution Factor	1.0		
Soil Extract \	/olume:	1	(uL)		So	il Aliquot Vo	lume: 1		(uL

**CONCENTRATION UNITS:** 

(ug/L or ug/Kg)

UG/KG

Number TICs found:

0

					· · · · · · · · · · · · · · · · · · ·
CAS	S NO.	COMPOUND NAME	RT	EST. CONC.	Q
1.	000109-66-0	Pentane (CAS) \$\$ n-Pentane \$\$	4.51	24	JN
2.	000123-38-6	Propanal (CAS) \$\$ Propionaldeh	5.03	5	JN
3.	000110-54-3	Hexane (CAS) \$\$ n-Hexane \$\$ S	6.32	11	JN
4.	000123-72-8	Butanal (CAS) \$\$ n-Butanal \$\$ B	7.02	. 6	JN
5.	000110-62-3	Pentanal (CAS) \$\$ n-Pentanal \$\$	9.68	14	JN
6.	000066-25-1	Hexanal (CAS) \$\$ n-Hexanal \$\$	12.85	130	JN
7.	000111-71-7	Heptanal (CAS) \$\$ n-Heptanal \$\$	16.42	10	JN
8.	018172-67-3	IbetaPinene \$\$ Bicyclo[3.1.1]h	18.25	11	JN
9.		unknown hydrocarbon	19.39	5	J

EPA SAMPLE NO.

2000RC05S06

Lab Name:	Sheffield	d Steel		Contract: CRL		
Lab Code:	ML-10C		Case No.: 2000	0061 SAS No.:	SDG No.: GCMS	001
Matrix: (soil/\	water)	SOIL		Lab Samp	le ID: 2000RC05S06	
Sample wt/vo	ol:	4.5	(g/ml) <u>G</u>	Lab File II	D: <u>4C083111.D</u>	
Level: (low/r	ned)	LOW		Date Rece	eived: <u>08/24/00</u>	
% Moisture:	not dec.	19.85		Date Anal	yzed: <u>08/31/00</u>	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (mm)	Dilution Fa	actor: 1.0	
Soil Extract \	Volume:		(uL)	Soil Alique	ot Volume:	(uL)

## **CONCENTRATION UNITS:**

CAS NO.	COMPOUND (ug/L o	r ug/Kg)	UG/KG	Q
74-87-3	Chloromethane		14	U
74-83-9	Bromomethane		14	U
75-00-3	Chloroethane		14	U
107-64-1	Acrolein		690	UIT
75-35-4	1,1-Dichloroethene	W	7	U
67-64-1	Acetone		140	В
75-15-0	Carbon disulfide		7	·U
75-09-2	Methylene chloride		140	U
107-13-1	Acrylonitrile		14	UJ
75-34-3	trans-1,2-Dichloroethene		7	U
75-34-3	1,1-Dichloroethane		7	U
78-93-3	2-Butanone	***************************************	35	UJ
156-59-2	cis-1,2-Dichloroethene		7	Ū
594-20-7	2,2-Dichloropropane		7	Ū
74-97-5	Bromochloromethane		7	Ū
67-66-3	Chloroform		7	Ū
71-55-6	1,1,1-Trichloroethane		7	Ū
563-58-6	1,1-Dichloropropene		7	Ū
56-23-5	Carbon tetrachloride		7	Ū
107-06-2	1,2-Dichloroethane		7	Ū
71-43-2	Benzene		7	Ü
79-01-6	Trichloroethene		180	
78-87-5	1,2-Dichloropropane		14	U
75-27-4	Bromodichloromethane		7	Ū
10061-01-5	cis-1,3-Dichloropropene		7	Ū
108-10-1	4-Methyl-2-pentanone		28	Ū
108-88-3	Toluene		7	Ū
000110-75-8	2-Chloroether vinyl ether		14	U
10061-01-5	trans-1,3-Dichloropropene		7	Ū
79-00-5	1,1,2-Trichloroethane		7	Ū
142-28-9	1,3-Dichloropropane		7	Ū
127-18-4	Tetrachloroethene		7	Ū
591-78-6	2-Hexanone		35	Ū
124-48-1	Dibromochloromethane		7	Ü
106-93-4	1,2-Dibromoethane		7	Ū
108-90-7	Chlorobenzene		7	Ŭ
630-20-6	1,1,1,2-Tetrachloroethane		7	Ü
100-41-4	Ethylbenzene		7	Ü
1083836423	m- &/or p-Xylene		7	Ü

M9/28/00

EPA SAMPLE NO.

2000RC05S06

Lab Name:	Sheffield	d Steel		Contract: CRL	20001100000	
Lab Code:	ML-10C	:	Case No.: 20000061	SAS No.:	SDG No.: GCMS00	01
Matrix: (soil/	water)	SOIL	·	Lab Sample ID	: 2000RC05S06	
Sample wt/v	ol:	4.5	(g/ml) G	Lab File ID:	4C083111.D	
Level: (low/r	med)	LOW		Date Received	: 08/24/00	
% Moisture:	not dec.	19.85		Date Analyzed	: 08/31/00	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (mm)	Dilution Factor	: 1.0	
Soil Extract '	Volume:		(uL)	Soil Aliquot Vo	lume:	(uL)

CAS NO.	COMPOUND (ug	/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene		7	, n
100-42-5	Styrene	The state of the s	7	' U
75-25-2	Bromoform		7	' U
98-82-8	Isopropylbenzene		7	' U
79-34-5	1,1,2,2-Tetrachloroetha	ane ·	21	U
96-18-4	1,2,3-Trichloropropane		21	U
108-86-1	Bromobenzene		7	' U
103-65-1	n-Propylbenzene		7	' U
95-49-8	2-Chlorotoluene			' U
106-43-4	4-Chlorotoluene		7	' U
108-67-8	1,3,5-Trimethylbenzen	e		7 U
98-06-6	tert-Butylbenzene		7	' U
95-63-6	1,2,4-Trimethylbenzen	e	7	' U
135-98-8	sec-Butylbenzene			' U
99-87-6	p-Isopropyltoluene		7	' U
541-73-1	1,3-Dichlorobenzene		14	l U
106-46-7	1,4-Dichlorobenzene		14	l U
104-51-8	n-Butylbenzene		7	' U.J
95-50-1	1,2-Dichlorobenzene		14	
96-12-8	1,2-Dibromo-3-chlorop	ropane	28	3 03
120-82-1	1,2,4-Trichlorobenzene		7	
87-68-3	Hexachlorobutadiene		7	7 リブ
91-20-3	Naphthalene		28	3 UJ
87-61-6	1,2,3-Trichlorobenzene	9	14	UJ

## 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S06

Lab Name:	Sheffield	Steel		Contract:	CRL			
Lab Code:	ML-10C		Case No.: 20000061	SAS No	o.: S	SDG No.:	GCMS0	01
Matrix: (soil/v	vater)	SOIL	<del></del>	Lal	b Sample ID:	2000RC	05806	
Sample wt/vo	ol:	4.5	(g/ml) <u>G</u>	Lal	b File ID:	4C0831	11.D	
Level: (low/n	ned)	LOW		Da	te Received:	08/24/00	<u> </u>	
% Moisture:	not dec.	19.85		Da	te Analyzed:	08/31/0	0	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (mm)	Dil	ution Factor:	1.0		
Soil Extract \	/olume:	1	(uL)	So	il Aliquot Vol	ume: <u>1</u>		(uL

**CONCENTRATION UNITS:** 

(ug/L or ug/Kg)

UG/KG

Number TICs found: 9

		T		
CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000109-66-0	Pentane (CAS) \$\$ n-Pentane \$\$	4.51	7	JN
2. 000066-25-1	N-HEXANAL \$\$ CAPROALDEHY	12.85	4	JN
3.	unknown hydrocarbon	17.68	5	J
4.	unknown hydrocarbon	17.95	10	J
5. 013395-76-1	Cyclohexanone, 2,3-dimethyl- (C	18.83	17	JN
6.	unknown hydrocarbon	19.01	22	J
7.	unknown hydrocarbon	19.31	47	J
8.	unknown	19.83	37	J
9. 000000-00-0	NONANAL	21.55	5	JN

EPA SAMPLE NO.

2000RC05S07

Lab Name:	Sheffield	Steel		Contract:	CRL		
Lab Code:	ML-10C		Case No.: 20000061	SAS No	o.: S	SDG No.:	GCMS001
Matrix: (soil/v	vater)	SOIL		Lal	b Sample ID:	2000RC	05807
Sample wt/vo	ol:	2.1	(g/ml) <u>G</u>	Lal	b File ID:	4C08311	2.D
Level: (low/n	ned)	LOW	<del></del>	Da	te Received:	08/24/00	
% Moisture: ı	not dec.	18.55		Da	te Analyzed:	08/31/00	<u> </u>
GC Column:	DB-62	4_ ID:	0.53 (mm)	Dil	ution Factor:	1.0	· .
Soil Extract \	/olume:		(uL)	So	il Aliquot Vol	ume:	(uL

### **CONCENTRATION UNITS:**

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
74-87-3	Chloromethane	30	Ų
74-83-9	Bromomethane	30	U
75-00-3	Chloroethane	30	U
107-64-1	Acrolein	1500	U
75-35-4	1,1-Dichloroethene	15	U
67-64-1	Acetone	150	В
75-15-0	Carbon disulfide	15	U
75-09-2	Methylene chloride	300	U
107-13-1	Acrylonitrile	30	UJ
75-34-3	trans-1,2-Dichloroethene	15	U
75-34-3	1,1-Dichloroethane	15	U
78-93-3	2-Butanone	74	UZŠ
156-59-2	cis-1,2-Dichloroethene	15	U
594-20-7	2,2-Dichloropropane	15	U
74-97-5	Bromochloromethane	15	U
67-66-3	Chloroform	15	Ų
71-55-6	1,1,1-Trichloroethane	15	U
563-58-6	1,1-Dichloropropene	15	U
56-23-5	Carbon tetrachloride	15	Ü
107-06-2	1,2-Dichloroethane	15	U
71-43-2	Benzene	15	U
79-01-6	Trichloroethene	15	U
78-87-5	1,2-Dichloropropane	30	U
75-27-4	Bromodichloromethane	15	Ū
10061-01-5	cis-1,3-Dichloropropene	15	U
108-10-1	4-Methyl-2-pentanone	59	U
108-88-3	Toluene	. 15	U
000110-75-8	2-Chloroether vinyl ether	30	U
10061-01-5	trans-1,3-Dichloropropene	15	U
79-00-5	1,1,2-Trichloroethane	15	U
142-28-9	1,3-Dichloropropane	15	U
127-18-4	Tetrachloroethene	15	U
591-78-6	2-Hexanone	74	U
124-48-1	Dibromochloromethane	15	Ū
106-93-4	1,2-Dibromoethane	15	U
108-90-7	Chlorobenzene	15	U
630-20-6	1,1,1,2-Tetrachloroethane	15	Ū
100-41-4	Ethylbenzene	15	U
1083836423	m- &/or p-Xylene	15	U

mf 12/00

EPA SAMPLE NO.

2000RC05S07

Contract: CRL Lab Name: Sheffield Steel SAS No.: SDG No.: GCMS001 Lab Code: ML-10C Case No.: 20000061 SOIL Lab Sample ID: 2000RC05S07 Matrix: (soil/water) Sample wt/vol: 2.1 (g/ml) G Lab File ID: 4C083112.D Date Received: 08/24/00 Level: (low/med) LOW Date Analyzed: 08/31/00 % Moisture: not dec. 18.55 GC Column: DB-624 ID: 0.53 Dilution Factor: 1.0 (mm) Soil Aliquot Volume: (uL) Soil Extract Volume:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene	15	U
100-42-5	Styrene	15	U
75-25-2	Bromoform	15	U
98-82-8	Isopropylbenzene	15	U
79-34-5	1,1,2,2-Tetrachloroethane	44	U
96-18-4	1,2,3-Trichloropropane	44	U
108-86-1	Bromobenzene	15	· U
103-65-1	n-Propylbenzene	15	U
95-49-8	2-Chlorotoluene	15	U
106-43-4	4-Chlorotoluene	15	U
108-67-8	1,3,5-Trimethylbenzene	15	U
98-06-6	tert-Butylbenzene	15	. U
95-63-6	1,2,4-Trimethylbenzene	15	U
135-98-8	sec-Butylbenzene	15	U
99-87-6	p-Isopropyltoluene	15	U
541-73-1	1,3-Dichlorobenzene	30	Ų
106-46-7	1,4-Dichlorobenzene	30	U
104-51-8	n-Butylbenzene	15	U
95-50-1	1,2-Dichlorobenzene	30	U
96-12-8	1,2-Dibromo-3-chloropropane	59	U
120-82-1	1,2,4-Trichlorobenzene	15	U
87-68-3	Hexachlorobutadiene	15	U
91-20-3	Naphthalene	59	U
87-61-6	1,2,3-Trichlorobenzene	30	U

#### 1E

## **VOLATILE ORGANICS ANALYSIS DATA SHEET** TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S07

Lab Name: Sheffield Steel Contract: CRL Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 SOIL Lab Sample ID: 2000RC05S07 Matrix: (soil/water) Lab File ID: 4C083112.D 2.1 Sample wt/vol: (g/ml) G Date Received: 08/24/00 Level: (low/med) LOW % Moisture: not dec. 18.55 Date Analyzed: 08/31/00 Dilution Factor: 1.0 GC Column: DB-624 ID: 0.53 (mm) Soil Aliquot Volume: 1 (uL) Soil Extract Volume: 1 (uL) **CONCENTRATION UNITS:** 

(ug/L or ug/Kg)

UG/KG

Number TICs found:

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000000-00-0	METHYLCYCLOHEXANE	9.61	10	JN
2.	unknown hydrocarbon	17.68	9	J
3.	unknown hydrocarbon	19.39	9	J
4. 000000-00-0	NONANAL	21.55	14	JN

EPA SAMPLE NO.

2000RC05S01

Lab Name:	Sheffield	d Steel			Contract:	CRL			
Lab Code:	ML-10C	(	Case No.:	20000061	SAS No	.: S	DG No.:	GCMS00	1
Matrix: (soil/v	water)	SOIL			Lat	Sample ID:	2000RC	05801	
Sample wt/vo	ol:	8.6	(g/ml)	G	Lat	File ID:	4C0831	13.D	
Level: (low/r	ned)	LOW			Da	te Received:	08/24/0	0	
% Moisture:	not dec.	2.5514			Da	te Analyzed:	08/31/0	0	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (n	nm)	Dile	ution Factor:	1.0		
Soil Extract \	/olume:		(uL)		So	il Aliquot Volu	ıme:		(uL

## **CONCENTRATION UNITS:**

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
74-87-3	Chloromethane	6	U
74-83-9	Bromomethane	6	U
75-00-3	Chloroethane	6	U
107-64-1	Acrolein	300	UJ
75-35-4	1,1-Dichloroethene	3	U
67-64-1	Acetone	89	В
75-15-0	Carbon disulfide	3	U ],
75-09-2	Methylene chloride	3	X 70 1
107-13-1	Acrylonitrile	6	U
75-34-3	trans-1,2-Dichloroethene	3	U
75-34-3	1,1-Dichloroethane	3	Ų
78-93-3	2-Butanone	18	5
156-59-2	cis-1,2-Dichloroethene	3	U
594-20-7	2,2-Dichloropropane	. 3	U
74-97-5	Bromochloromethane	3	U
67-66-3	Chloroform	3	U
71-55-6	1,1,1-Trichloroethane	3	Ų
563-58-6	1,1-Dichloropropene	3	U
56-23-5	Carbon tetrachloride	3	Ū
107-06-2	1,2-Dichloroethane	3	U
71-43-2	Benzene	3	U
79-01-6	Trichloroethene	3	U :
78-87-5	1,2-Dichloropropane	6	Ų
75-27-4	Bromodichloromethane	. 3	U
10061-01-5	cis-1,3-Dichloropropene	3	U
108-10-1	4-Methyl-2-pentanone	12	U
108-88-3	Toluene	3	U
000110-75-8	2-Chloroether vinyl ether	6	U
10061-01-5	trans-1,3-Dichloropropene	3	U
79-00-5	1,1,2-Trichloroethane	3	U
142-28-9	1,3-Dichloropropane	.3	U
127-18-4	Tetrachloroethene	3	U
591-78-6	2-Hexanone	15	· U
124-48-1	Dibromochloromethane	3	U
106-93-4	1,2-Dibromoethane	3	U
108-90-7	Chlorobenzene	3	U
630-20-6	1,1,1,2-Tetrachloroethane	3	U
100-41-4	Ethylbenzene	3	U
1083836423	m- &/or p-Xylene	. 3	U .

m4123/00

EPA SAMPLE NO.

2000RC05S01

Sheffield Steel Contract: CRL Lab Name: Lab Code: ML-10C Case No.: 20000061 SAS No.: SDG No.: GCMS001 Lab Sample ID: 2000RC05S01 Matrix: (soil/water) SOIL Sample wt/vol: 8.6 (g/ml) G Lab File ID: 4C083113.D Level: (low/med) Date Received: 08/24/00 LOW Date Analyzed: 08/31/00 % Moisture: not dec. 2.5514 GC Column: DB-624 ID: 0.53 Dilution Factor: 1.0 (mm) Soil Extract Volume: Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene	3	U
100-42-5	Styrene	3	U
75-25-2	Bromoform	3	U
98-82-8	Isopropylbenzene	3	U
79-34-5	1,1,2,2-Tetrachloroethane	9	U
96-18-4	1,2,3-Trichloropropane	9 .	U
108-86-1	Bromobenzene	3	U
103-65-1	n-Propylbenzene	3	U
95-49-8	2-Chlorotoluene	3	U
106-43-4	4-Chlorotoluene	3	U
108-67-8	1,3,5-Trimethylbenzene	3	U
98-06-6	tert-Butylbenzene	3	U
95-63-6	1,2,4-Trimethylbenzene	3	U
135-98-8	sec-Butylbenzene	3	U
99-87-6	p-Isopropyltoluene	3	U
541-73-1	1,3-Dichlorobenzene	6	U
106-46-7	1,4-Dichlorobenzene	6	U
104-51-8	n-Butylbenzene	3	U
95-50-1	1,2-Dichlorobenzene	6	U
.96-12-8	1,2-Dibromo-3-chloropropane	12	U
120-82-1	1,2,4-Trichlorobenzene	3	U
87-68-3	Hexachlorobutadiene	3	U
91-20-3	Naphthalene	12	U
87-61-6	1,2,3-Trichlorobenzene	6	U

### 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S01

Lab Name:	Sheffield	d Steel		Con	tract:	CRL				
Lab Code:	ML-10C		Case No.: 2000	0061 S	AS N	o.:	_ SI	OG No.:	GCM	S001
Matrix: (soil/	water)	SOIL			La	ab Sample	ID:	2000RC	05S01	<u> </u>
Sample wt/ve	ol:	8.6	(g/ml) <u>G</u>		La	ab File ID:		4C0831	13.D	
Level: (low/r	med)	LOW	***************************************		D	ate Receiv	/ed:	08/24/0	)	_
% Moisture:	not dec.	2.5514			D	ate Analyz	ed:	08/31/0	)	_
GC Column:	DB-62	4 ID:	<u>0.53</u> (mm)		D	ilution Fac	tor:	1.0		
Soil Extract	Volume:	1	(uL)		S	oil Aliquot	Volu	me: <u>1</u>		(uL)
Number TIC	s found:	0		CONCEI (ug/L or		TION UN		· · ·		·
CAS NO.		COMF	OUND NAME			RT	ES	T. CON	С.	Q

EPA SAMPLE NO.

2000RC05S02

Lab Name:	Sheffield	Steel		_ Contract:	CRL		
Lab Code:	ML-10C	c	ase No.: 200000	61 SAS No	o.: 5	SDG No.: GCM	S001
Matrix: (soil/w	/ater)	SOIL		La	b Sample ID:	: 2000RC05S02	
Sample wt/vo	ol:	6.7	(g/ml) G	La	b File ID:	4C083114.D	_
Level: (low/m	ned)	LOW	<del></del>	Da	te Received:	08/24/00	
% Moisture: r	not dec.	3.6614		Da	te Analyzed:	08/31/00	_
GC Column:	DB-62	4_ ID: (	0.53 (mm)	Dil	ution Factor:	1.0	_
Soil Extract V	olume:		(uL)	So	il Aliquot Vol	lume:	_ (uL

## CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/K	g) <u>UG/KG</u>	Q
74-87-3	Chloromethane	8	U
74-83-9	Bromomethane	8	U
75-00-3	Chloroethane	8	U
107-64-1	Acrolein	390	UJ
75-35-4	1,1-Dichloroethene	4	U
67-64-1	Acetone	93	В
75-15-0	Carbon disulfide	4	Ų
75-09-2	Methylene chloride	78	U
107-13-1	Acrylonitrile	8	UJ
75-34-3	trans-1,2-Dichloroethene	4	U
75-34-3	1,1-Dichloroethane	4	U
78-93-3	2-Butanone	19	UJ
156-59-2	cis-1,2-Dichloroethene	4	U
594-20-7	2,2-Dichloropropane	4	U
74-97-5	Bromochloromethane	4	U
67-66-3	Chloroform	4	U
71-55-6	1,1,1-Trichloroethane	4	U
563-58-6	1,1-Dichloropropene	4	U
56-23-5	Carbon tetrachloride	4	U
107-06-2	1,2-Dichloroethane	4	U
71-43-2	Benzene	4	U
79-01-6	Trichloroethene	4	U
78-87-5	1,2-Dichloropropane	8	U
75-27-4	Bromodichloromethane	4	U
10061-01-5	cis-1,3-Dichloropropene	4	U
108-10-1	4-Methyl-2-pentanone	16	U
108-88-3	Toluene	4	Ų
000110-75-8	2-Chloroether vinyl ether	8	U
10061-01-5	trans-1,3-Dichloropropene	4	U
79-00-5	1,1,2-Trichloroethane	. 4	U
142-28-9	1,3-Dichloropropane	4	U
127-18-4	Tetrachloroethene	4	U
591-78-6	2-Hexanone	19	U
124-48-1	Dibromochloromethane	4	U
106-93-4	1,2-Dibromoethane	4	U
108-90-7	Chlorobenzene	4	U
630-20-6	1,1,1,2-Tetrachloroethane	4	U
100-41-4	Ethylbenzene	4	U
1083836423	m- &/or p-Xylene	4	U

n7/29/00

EPA SAMPLE NO.

2000RC05S02

Lab Name:	Sheffield	Steel t		Contract: CRL			
Lab Code:	ML-10C		Case No.: 20000061	SAS No.:	SDC	G No.: GCMS	001
Matrix: (soil/v	water)	SOIL		Lab Samp	ole ID: 2	000RC05S02	
Sample wt/vo	ol:	6.7	(g/ml) <u>G</u>	Lab File II	D: <u>4</u>	C083114.D	-
Level: (low/r	ned)	LOW	PAINS	Date Rec	eived: 0	8/24/00	
% Moisture: ı	not dec.	3.6614		Date Anal	yzed: 0	8/31/00	<del></del>
GC Column:	DB-62	4 ID:	<u>0.53</u> (mm)	Dilution F	actor: 1	.0	_
Soil Extract \	/olume:		(uL)	Soil Alique	ot Volum	ne:	_ (uL

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene	4	U
100-42-5	Styrene	4	U
75-25-2	Bromoform	4	U
98-82-8	Isopropylbenzene	4	U
79-34-5	1,1,2,2-Tetrachloroethane	12	U
96-18-4	1,2,3-Trichloropropane	12	U
108-86-1	Bromobenzene	4	U
103-65-1	n-Propylbenzene	4	U
95-49-8	2-Chlorotoluene	4	U
106-43-4	4-Chlorotoluene	4	U
108-67-8	1,3,5-Trimethylbenzene	4	U
98-06-6	tert-Butylbenzene	4	U
95-63-6	1,2,4-Trimethylbenzene	4	U
135-98-8	sec-Butylbenzene	4	U
99-87-6	p-lsopropyltoluene	. 4	U
541-73-1	1,3-Dichlorobenzene	8	U
106-46-7	1,4-Dichlorobenzene	8	U
104-51-8	n-Butylbenzene	4	U
95-50-1	1,2-Dichlorobenzene	8	U
96-12-8	1,2-Dibromo-3-chloropropane	16	U
120-82-1	1,2,4-Trichlorobenzene	4	U
87-68-3	Hexachlorobutadiene	4	U
91-20-3	Naphthalene	16	U
87-61-6	1,2,3-Trichlorobenzene	8	U

### 1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05S02

JN

Lab Name:	Sheffield	d Steel			Contract	CRL				
Lab Code:	ML-10C		Case No.: 2	20000061	SAS	lo.:	SE	OG No.:	GCM	S001
Matrix: (soil/w	ater)	SOIL		• •	L	ab Sample	ID:	2000RC	05802	<u>-</u>
Sample wt/vo	l:	6.7	(g/ml)	G	_ L	ab File ID:		4C0831	14.D	MODELLE STATES
Level: (low/m	ied)	LOW			D	ate Receiv	/ed:	08/24/00	) .	_
% Moisture: n	ot dec.	3.6614			D	ate Analyz	zed:	08/31/00	)	
GC Column:	DB-62	4 ID:	0.53 (mr	n)	D	ilution Fac	tor:	1.0		
Soil Extract V	olume:	1	(uL)		S	oil Aliquot	Volu	me: 1_		(uL)
					NCENTRA L or ug/Kı	ATION UN a) UG	ITS: /KG			
Number TICs	found:	1	· ·	(3-						
CAS NO.		COMP	OUND NAM	1E		RT	ES	T. CON	о.	Q

Pentane (CAS) \$\$ n-Pentane \$\$

1. 000109-66-0

EPA SAMPLE NO.

2000RC05D02

Lab Name:	Sheffield	Steel		Contract: CRL		
Lab Code:	ML-10C		Case No.: 20000061	SAS No.:	SDG No.: GCMS00	<u> </u>
Matrix: (soil/w	rater)	SOIL	<u>·</u>	Lab Sample I	D: 2000RC05D02	
Sample wt/vo	l:	6.5	(g/ml) <u>G</u>	Lab File ID:	4C083117.D	
Level: (low/m	ned)	LOW		Date Receive	ed: <u>08/24/00</u>	
% Moisture: r	ot dec.	3.66		Date Analyze	ed: <u>08/31/00</u>	
GC Column:	DB-62	4_ ID:	0.53 (mm)	Dilution Facto	or: 1.0	
Soil Extract V	olume:		(uL)	Soil Aliquot V	/olume:	(uL)

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
74-87-3	Chloromethane	11	
74-83-9	Bromomethane	8	U
75-00-3	Chloroethane	8	U
107-64-1	Acrolein	400	UJ
75-35-4	1,1-Dichloroethene	4	U
67-64-1	Acetone	180	В
75-15-0	Carbon disulfide	7	
75-09-2	Methylene chloride	. 80	Ų
107-13-1	Acrylonitrile	8	UJ
75-34-3	trans-1,2-Dichloroethene	4	Ų
75-34-3	1,1-Dichloroethane	4	U
78-93-3	2-Butanone	37	
156-59-2	cis-1,2-Dichloroethene	4	U
594-20-7	2,2-Dichloropropane	4	U
74-97-5	Bromochloromethane	4	U
67-66-3	Chloroform	4	U
71-55-6	1,1,1-Trichloroethane	4	U
563-58-6	1,1-Dichloropropene	4	U
56-23-5	Carbon tetrachloride	4	U
107-06-2	1,2-Dichloroethane	4	U
71-43-2	Benzene	. 4	U
79-01-6	Trichloroethene	4	U
78-87-5	1,2-Dichloropropane	8	U
75-27-4	Bromodichloromethane	4	U
10061-01-5	cis-1,3-Dichloropropene	4	U
108-10-1	4-Methyl-2-pentanone	16	U
108-88-3	Toluene	4	Ų
000110-75-8	2-Chloroether vinyl ether	8	U
10061-01-5	trans-1,3-Dichloropropene	4	U
79-00-5	1,1,2-Trichloroethane	4	U
142-28-9	1,3-Dichloropropane	4	U
127-18-4	Tetrachloroethene	4	U
591-78-6	2-Hexanone	20	U
124-48-1	Dibromochloromethane	4	U
106-93-4	1,2-Dibromoethane	4	U
108-90-7	Chlorobenzene	. 4	U
630-20-6	1,1,1,2-Tetrachloroethane	4	U
100-41-4	Ethylbenzene	4	U
1083836423	m- &/or p-Xylene	4	U

EPA SAMPLE NO.

2000RC05D02

Contract: CRL
61 SAS No.: SDG No.: GCMS001
Lab Sample ID: 2000RC05D02
Lab File ID: 4C083117.D
Date Received: 08/24/00
Date Analyzed: 08/31/00
Dilution Factor: 1.0
Soil Aliquot Volume: (uL
•

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/KG	Q
95-47-6	o-Xylene	4	U
100-42-5	Styrene	4	U
75-25-2	Bromoform	4	U
98-82-8	Isopropylbenzene	4	U
79-34-5	1,1,2,2-Tetrachloroethane	12	U
96-18-4	1,2,3-Trichloropropane	12	U
108-86-1	Bromobenzene	4	U
103-65-1	n-Propylbenzene	. 4	U
95-49-8	2-Chlorotoluene	4	U
106-43-4	4-Chlorotoluene	4	U
108-67-8	1,3,5-Trimethylbenzene	4	U
98-06-6	tert-Butylbenzene	4	U
95-63-6	1,2,4-Trimethylbenzene	. 4	U
135-98-8	sec-Butylbenzene	4	Ų
99-87-6	p-Isopropyltoluene	4	U
541-73-1	1,3-Dichlorobenzene	8	U
106-46-7	1,4-Dichlorobenzene	8	U
104-51-8	n-Butylbenzene	4	LU
95-50-1	1,2-Dichlorobenzene	8	UJ
96-12-8	1,2-Dibromo-3-chloropropane	16	UJ
120-82-1	1,2,4-Trichlorobenzene	4	UJ
87-68-3	Hexachlorobutadiene	4	UJ
91-20-3	Naphthalene	16	υJ
87-61-6	1,2,3-Trichlorobenzene	8	UJ

## 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2000RC05D02

Lab Name:	Sheffield	Steel		Contract:	CRL		
Lab Code:	ML-10C		Case No.: 2000006	1 SAS No	o.: S	DG No.: GCMS	001
Matrix: (soil/v	vater)	SOIL		La	b Sample ID:	2000RC05D02	
Sample wt/vo	ol:	6.5	(g/ml) <u>G</u>	La	b File ID:	4C083117.D	
Level: (low/r	ned)	LOW		Da	te Received:	08/24/00	
% Moisture:	not dec.	3.66		Da	te Analyzed:	08/31/00	
GC Column:	DB-62	4_ ID:	<u>0.53</u> (mm)	Dil	ution Factor:	1.0	
Soil Extract \	/olume:	1	(uL)	So	il Aliquot Volu	ume: 1	(uL)
			CC	NCENTRA	TION UNITS:	•	
Number TICs	s found:	3		J/L or ug/Kg)	UG/KG		

				İ
CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000115-11-7	1-Propene, 2-methyl- (CAS) \$\$ 2-	3.41	66	JN
2. 000109-66-0	Pentane (CAS) \$\$ n-Pentane \$\$	4.52	16	JN
3.	unknown	6.49	3	J



25 January 2000

Mr. Jeffrey Longsworth Collier, Shannon, Rill & Scott, PLLC. Attorneys-at-Law 3050 K Street, N.W. Suite 400 Washington, DC 20007

## Dear Mr. Longsworth:

I certify under penalty of law that I have personally examined and am familiar with the information submitted in responding to this information request. Based on my review of all relevant documents and inquiry of those individuals immediately responsible for providing all relevant information and documents, I believe that the information submitted is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Operations Manager

/blh

State of

County of

otary Public





ISO 9002 CERTIFIED



8100 North Austin Avenue Morton Grove, Illinois 60053-3203 847-967-6666 FAX: 847-967-6735

## LABORATORY REPORT

208510

Page 1 of 2

Huff & Huff, Inc. 512 W. Burlington, Suite 100 LaGrange, IL 60525

> Report Date: 11/17/99 Sample Received: 10/27/99

Date Sampled: 10/27/99

Project Name: Sheffield

Sample Description: Soil Grab - LANDFILL SAMPLE

Sample No.: 086283

		Date		
Analyte	Result	Completed	By	v Method
Ash content	98.4%	10/29/99	AF	2540E(2)
Water Compatibility r	no reaction	11/05/99	NN	D5058-90(21)
Total Cyanide	<2.00	10/28/99	TM	9010A(6)
Extractable Organic Ha	logens 30.5	10/27/99	RG	9020A(6)
Odor of sample	NONE	11/02/99	NN	D4979-89(21)
Open Cup Flash Point	>180.°F	10/28/99	WK	D92-90(21)
Paint Filter	PASS	10/28/99	WK	9095(6)
Total Phenolics	<1.00	10/28/99	TM	9065(6)
Physical Appearance	BRWN COLORED DIRT.	MIXED W/ SCI	RAP	METAL&ROCKS
	•	10/28/99	WK	D4979-89(21)
Total Solids	99.4%	10/28/99	AF	2540B(2)
Reactive Sulfide	20.4	10/28/99	RG	7.3.4(6)
pH (10% Solution)	8.87units	10/28/99	WK	9045(6)
Dorformed on Chero Eve	rection of Solid Wo	ata with Wat		CTN D2007 05

## Performed on Shake Extraction of Solid Waste with Water ASTM D3987-85

Ammonia	<0.40	11/04/99	NN	350.2(20)
COD	17	11/04/99	MN	410.4(20)
CN	< 0.05	11/03/99	TM	9010A(6)
FOG	<.5	11/05/99	MAG	413.1(20)
Oxidizers	NEG	11/03/99	WK	D4981-89(21)
pH (units)	9,46	11/03/99	WK	9045(6)



8100 North Austin Avenue Morton Grove, Illinois 60053-3203 847-967-6666 FAX: 847-967-6735

## LABORATORY REPORT

208510

Page 2 of 2

Huff & Huff. Inc. 512 W. Burlington, Suite 100 LaGrange, H. 60525

> Report Date: 11/17/99 Sample Received: 10/27/99

Date Sampled: 10/27/99

Project Name: Sheffield

Sample Description: Soil Grab - LANDFILL SAMPLE

Sample No.: 086283

Analyte Analysis Performed on TCLP	Result Extract	Date Completed By	Method
Arsenic	<0.200	11/02/00 CE	CO10D(C)
Barium		11/02/99 GF	6010B(6)
	<0.50	11/02/99 GF	6010B(6)
Cadmium	<0.02	11/02/99 GF	6010B(6)
Chromium	< 0.10	11/02/99 GF	6010R(6)
Copper	1.96	11/02/99 GF	6010B(6)
Lead	<0.20	11/02/99 GF	6010B(6)
Метситу	<0.0100	11/03/99 AG	7470A(6)
Nickel	0.26	11/02/99 GF	6010B(6)
Selenium	<0.200	11/02/99 GF	6010B(6)
Silver	<0.20	11/02/99 GF	6010B(6)
Zinc	1.19	11/02/99 GF	6010B(6)

ABORATORY DIRECTOR

All results expressed as ppm unless otherwise indicated

<sup>(2)</sup> Analysis performed using "Standard Methods for the Examination of Wastewater", 19th Edition

<sup>(21)</sup> Analysis performed using ASTM Method.

<sup>(6)</sup> Methods performed according to SW-846 "Test Methods for Evaluating Solid Waste"

<sup>(20)</sup> Analysis performed using "Methods for Chemical Analysis of Water and Wastes"

The contents of this report apply to the sample analyzed. No duplication of this report is allowed except in its entirety.



8100 North Austin Avenue Morton Grove, Illinois 60053-3203 847-967-6666 FAX: 847-967-6735

## LABORATORY REPORT

208510-A

Page 1 of 1

Huff & Huff, Inc. 512 W. Burlington, Suite 100 LaGrange, IL 60525

Report Date: 11/17/99

Sample Received: 10/27/99 Date Sampled: 10/27/99

Date An

Date Analyzed: 11/01/99

Project Name: Sheffield

Sample Description: Soil Grab - LANDFILL SAMPLE

Sample No.: 086283

	Concent r Found		Reporting	Regulatory
Compounds	Sample	Blank	Limit	Limit
1. Benzene	<0.25	<0.01	0.01	0.50
2. Carbon Tetrachloride	<0.25	<0.01	0.01	0.50
<ol><li>Chlorobenzene</li></ol>	<50.0	<0.01	0.01	100.00
4. Chloroform	<3.0	<0.01	0.01	6.00
5. o-Cresol	<100.0	<0.01	0.01	200.00
6. m-Cresol	<100.0	< 0.01	0.01	200.00
7. p-Cresol	<100.0	<0.01	0.01	200.00
Total Cresol	<100.0	<0.01	0.01	200.00
8. 1,4-Dichlorobenzene	<3.75	<0.01	0.01	7.50
9. 1.2-Dichloroethane	< 0.25	< 0.01	0.01	0.50
10. 1,1-Dichloroethene	< 0.35	<0.01	0.01	0.700
11. 2,4-Dinitrotoluene	<0.07	<0.01	0.01	0.13
12. Hexachlorobenzene	<0.07	<0.01	0.01	0.13
13. Hexachloro-1,3 -butadiene	<0.25	<0.01	0.01	0.50
14. Hexachloroethane	<1.50	< 0.01	0.01	3.00
15. Methyl Ethyl Ketone	<100.0	<0.01	0.01	200.00
16. Nitrobenzene	<1.00	<0.01	0.01	2.00
17. Pentachlorophenol	<50.00	<0.01	0.01	100.00
18. Pyridine	<2.50	< 0.01	0.01	5.00
19. Tetrachloroethylene	<0.35	<0.01	0.01	0.70
20. Trichloroethylene	<0.25	<0.01	0.01	0.50
21. 2,4,5-Trichlorophenol	<200.00	<0.01	0.01	400.00
22. 2,4,6-Trichlorophenol	<1.00	<0.01	0.01	2.00
23. Vinyl Chloride	<0.10	<0.01	0.01	0.20

All results expressed as ppm unless otherwise indicated.

Methods performed according to SW-846; "Test methods for Evaluating Solid Waste".

Analysis performed on Extract from TOLP.

The contents of this report apply only to the sample analyzed. No digitization of this property is a except in its entirety.

LABORATORY DIRECTOR



## Chain of Custod Record

TURNAROUND TIME:

□ RUSH

\_\_\_\_day turnaround

ROUTINÉ

8100 North Austin Avenue 847-5 Morton Grove, Illinois 60053-3203 FAX:

847-967-6666 FAX: 847-967-6735 www.emt.com

Due Date: \_\_\_\_- COC #: 82045

Company: Huff Address:	. J .	Hull	-	:			1. Was	le Type: le Waler	4. Sludge			/aler (fille	red)	**************				Ar	naly	ses	<b>;</b>
				,			3. Soil Confo	king Water iiner Type stic V - V	6. Ground		Other 	/	/- /	//			/,	//	//	//	
Phone #:() P.O.#:	Pou	Fa Pro Pro Profile	x #; ( oj. #:				G - Gla	ss B-1 <b>vative:</b> e 4.N	edlar Bag aOH 7,	Other							//	//	//	//	
Project ID/Location:_	> n		· · · · · · · · · · · · · · · · · · ·				3. HNC		eOH					/ /				/ ,	/ ,	/ /	//
0 1.15	Sample	,	ontaine	T	1	1	pling		Preser		<del>-</del> /6		7		/ /	/ /					Laboratory Sample
Sample I.D.	Type	Size	Туре	No.	рН	Temp.	Date	Time	Field	Lab	/ \	/_	/ /	/_/	/_						Number
Lorthill	5	191	(1	C.							4	VV				1	1	1-			86283
same		'													_ _						
																4.			ļ		
				<u> </u>																	
					<u> </u>													<u>.</u>			Waste
																					My socement
							. !														my socement
																					approval
																					( *
																					·
Relinquished By:		Date: //	الي- ا	27/	Receiv	red By:	1	1	Date:/	10-07	1-99	7 EN	/IT US	E ON	LY				हो	SAN	IPLE RECEIVED
1 64600	-	Time:	(;)	(j	Ver	wit	met	4	Time:	13 :	00	CI	ient C	ode:					l		PERATURE
Refinauished By: /	1	Date((C	27	99	Receiv	ved By:			Date:			Ja	r Lot l	No.					╵╵	IEIVI	PERAIURE
Klein Smit	2	Time:	4:3	S(),	- A A	1			Time:	:	_										
Relinquished By:		Date:	<u></u>	/ (	Receiv	red For I	ab By:	. 12	Date:	()-27	) <u>-</u>	9	4.							EMT	SAMPLE RETURN
		Time:	:	.\		U/W-	-A 1	-*	Time:	4:	77	)	:	_							DLICY ON BACK
SPECIAL INSTRUCTIO			-		1	<del>- /-</del>	كوا_	4				7-							<u> </u>		<b>!</b>

#### Verbal 20000061 for ICP RCRA metals

Blanks slightly above detection limit are Cd and Cr. The instrument QC are within range. Matrix spike of S06 resulting in Cr and Pb in the sample exceeding double the spike; also Cd spike recovery was 153%; thus these audits may be invalid. The high Fe levels produced an interference on Ag.

These results must be considered to be a screening only.

If more accurate results are required, please advise and we will spike at a much higher concentration and run dilutions to obtain Ag results.

# US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number: Analysis Date:	RC05D01 20000061 09 14 00		Station ID: Study:	D01 Sheffield Steel
<u>Element</u>		Amount		<u>Units</u>
Silver		3.	8 J	mg/kg
Barium		8.	4	mg/kg
Cadmium ·		0.	7 U, B, J	mg/kg
Chromium		43	0 B, J	mg/kg
Lead		6	3 J	mg/kg

## US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number: Analysis Date:	RC05S01 20000061 09 14 00	Station Study:	D: S01 Sheffield Steel
Element		Amount	Units
Silver		3.5 J	mg/kg
Barium		8.2	mg/kg
Cadmium		0.7 U, B, J	mg/kg
Chromium		400 B, J	mg/kg
Lead		67 J	mg/kg

# US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number: Analysis Date:

RC05S02 20000061 09 14 00 Station ID: Study: S02 Sheffield

Steel

Units mg/kg mg/kg mg/kg mg/kg

Element	Amount
Silver	2.7 J
Barium	12
Cadmium	0.7 U, B, J
Chromium	390 B, J
Lead	77 J

## US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number:

Analysis Date:

RC05S03 20000061 09 14 00 Station ID: Study:

S03

Sheffield Steel

Element **Amount** <u>Units</u> Silver 2 J mg/kg Barium 7.5 mg/kg mg/kg Cadmium 0.7 U, B, J Chromium 290 B, J mg/kg Lead 38 J mg/kg

# US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number:

Analysis Date:

RC05S04 20000061 09 14 00 Station ID:

Study:

S04 Sheffield Steel

 Element
 Amount
 Units

 Silver
 0.9 J
 mg/kg

 Barium
 180
 mg/kg

 Cadmium
 3.5 B, J
 mg/kg

Chromium	
Lead	

73 B, J 270 J

mg/kg mg/kg

## US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number: Analysis Date:

RC05S05 20000061 09 14 00

Station ID: Study:

S05 Sheffield

Steel

Element Silver Barium Cadmium Chromium Lead

<u>Amount</u> 1.3 J 78 2.3 B, J 81 B, J 260 J

mg/kg mg/kg mg/kg mg/kg mg/kg

<u>Units</u>

## US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number:

RC05S06 20000061 Station ID:

Study:

S06 Sheffield

Analysis Date:

09 14 00

Steel

<u>Element</u>	<u>Amount</u>	<u>Units</u>
Silver	2.8 J	mg/kg
Barium	. 71	mg/kg
Cadmium	19 B, J	mg/kg
Chromium	210 B, J	mg/kg
Lead	210 J	mg/kg

# US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number: Analysis Date: RC05S07 20000061 09 14 00 Station ID: Study: S07 Sheffield Steel

<u>Element</u> <u>Amount</u> <u>Units</u> Silver 1.2 J mg/kg Barium mg/kg 160 Cadmium 4.2 B, J mg/kg Chromium 23 B, J mg/kg Lead 180 J mg/kg

# US EPA CRL - Region V ICP Final Report Results

Sample Number: Sample Batch Number: Analysis Date: RC05S08 20000061 09 14 00 Station ID: Study:

S08 Sheffield

Steel

Element	Amount	<u>Units</u>
Silver	1.7 J	mg/kg
Barium	290	mg/kg
Cadmium	4.5 B, J	mg/kg
Chromium	22 B, J	mg/kg
Lead	230 J	mg/kg